

*Received
2nd August 1876
J. P. G.*

1875-6.

—
NEW SOUTH WALES.

VITAL STATISTICS.

TWENTIETH ANNUAL REPORT

FROM

THE REGISTRAR GENERAL, ON VITAL STATISTICS.

Presented to both Houses of Parliament by Command.



SYDNEY:
THOMAS RICHARDS, GOVERNMENT PRINTER. PHILLIP-STREET.

—
1876.



1876.

VITAL STATISTICS.

THE REGISTRAR GENERAL TO THE HONORABLE THE COLONIAL SECRETARY,

TRANSMITTING ABSTRACTS OF

MARRIAGES, BIRTHS, AND DEATHS,

FOR THE YEAR 1875.

WITH PREFATORY REPORT.

Registrar General's Office,
Sydney, 1 May, 1876.

SIR,

I have the honor to transmit the Returns of Marriages, Births, and Deaths, recorded in this Department during the year 1875.

The estimated population of the Colony on 31st December, 1875, was 606,652 souls, showing an increase on the year of 22,374, or 3·83 per cent.

The number of males was estimated at 334,461, and of females at 272,191, or 55·13 and 44·87 respectively; there were therefore 62,270 more males than females in the Colony at the close of the year 1875, the proportion of the sexes being nearly the same as in the previous year, viz., 550 to 450 per 1,000.

The births registered during the half year ended 30th June numbered 11,037, and there were 15,465 arrivals by sea, making a total addition to the population of 26,502.

The deaths recorded in the same period were 5,953, and the departures by sea numbered 10,648, in all a total of 16,601; the difference showing an increase of 9,901 for the first half of the year.

During the last six months the registered births numbered 11,491, and the arrivals by sea were 15,502, making together 26,993. For the same period the deaths were 4,818, and the departures by sea, 9,702, together 14,520. The increase for this period was 12,473 persons.

The names recorded in the various Registers of the department show a total of 619,672. There were 4,605 marriages celebrated during the year, and the number of births and deaths recorded was 22,528 and 10,771 respectively. In comparison with the previous year marriages show an increase of 262, births 350, and deaths 2,119.

(A.)

(A.)

TABLE showing the number of MARRIAGES, BIRTHS, and DEATHS, registered in the Colony of New South Wales, during each Quarter of the Year 1875.

Quarter ended—	Marriages.	Births.			Deaths.		
		Males.	Females.	Total.	Males.	Females.	Total.
Sydney—							
31st March	324	364	384	748	465	435	900
30th June	324	425	433	858	297	263	560
30th September	297	438	359	797	295	267	562
31st December	287	368	391	759	329	322	651
TOTAL.....	1,232	1,595	1,567	3,162	1,386	1,287	2,673
Suburbs—							
31st March	102	359	326	685	283	250	533
30th June	114	367	373	740	159	173	332
30th September	101	409	376	785	148	147	295
31st December	109	346	352	698	240	247	487
TOTAL	426	1,481	1,427	2,908	830	817	1,647
Country Districts—							
31st March	786	1,984	1,909	3,893	1,081	668	1,749
30th June	731	2,089	2,024	4,113	1,123	756	1,879
30th September	740	2,162	2,120	4,282	962	490	1,452
31st December	690	2,069	2,101	4,170	863	508	1,371
TOTAL.....	2,947	8,304	8,154	16,458	4,029	2,422	6,451
New South Wales—							
31st March	1,212	2,707	2,619	5,326	1,829	1,353	3,182
30th June	1,169	2,881	2,830	5,711	1,579	1,192	2,771
30th September	1,138	3,009	2,855	5,864	1,405	904	2,309
31st December	1,086	2,783	2,844	5,627	1,432	1,077	2,509
TOTAL.....	4,605	11,380	11,148	22,528	6,245	4,526	10,771

MARRIAGES.

Of the total number of marriages celebrated in the Colony during the year, we find that the city contributed 26·75, suburbs 9·25, and country districts 64 per cent. The proportion of marriages to every 1,000 persons was 7·75; the average for the previous nine years being 7·86. Marriages celebrated in the city show a proportion of 13·72 to every 1,000, suburbs 5·99, and country districts 6·80. As compared with the previous year the increase in the number of marriages celebrated in Sydney, Suburbs, and Country Districts during the year was 8, 113, and 141 respectively. Looking at the Table which shows the number of marriages celebrated by each religious denomination and the Registrars, the following will be found to be the principal results: Church of England, 35·14 per cent.; Roman Catholic, 20·69; Presbyterian, 19·67; Wesleyan, 10·90; Primitive Methodist, 2·02; Congregationalist, 4·04; Baptist, 1·00; Registrars, 5·43. The increase on the previous year was as follows: Church of England, from 1,572 to 1,618; Roman Catholic, from 837 to 953; Presbyterian, from 886 to 906; Congregational, from 180 to 186; Primitive Methodist, from 60 to 93; Registrars, from 208 to 250.

(B.)

DENOMINATION.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.
Church of England	856	832	1,024	1,018	1,159	1,232	1,381	1,547	1,572	1,618
Roman Catholic	873	881	912	901	908	885	836	992	837	953
Presbyterian	856	767	698	663	548	648	827	914	886	906
Wesleyan	349	303	333	313	363	364	397	462	518	502
Primitive Methodist	49	49	51	58	70	60	73	60	60	93
Congregationalist	90	100	96	106	82	99	148	164	180	186
Baptist	49	38	21	25	37	30	51	44	52	46
Christian Israelite	2
Unitarian	1	2	2	4	3	4	3	3	1	1
Hebrew	13	9	13	13	4	10	6	10	10	11
Protestant Episcopal	2	5	5	16
Free Church of England	45	186	350	446	451	395
German Evangelical	1	3	2	2	7	4	9	7	14	17
Christians	1	6	1	3	3	4
Free Gospel Church	1
Free Christian Church	2
Registrars' Offices	278	256	233	243	215	219	191	179	208	250
TOTAL	3,462	3,426	3,736	3,799	3,848	3,953	3,925	4,384	4,343	4,605

MARRIAGE TABLE of Increase and Decrease.

Denomination.	1874. *	1875.	1874. Per cent.	1875. Per cent.	Increase per cent.	Decrease per cent.
Church of England	1,572	1,618	36.20	35.14	1.06
Roman Catholic	837	953	19.27	20.69	1.42
Presbyterian.....	886	906	20.40	19.67	0.73
Wesleyan	518	502	11.93	10.90	1.03
Congregational.....	180	186	4.14	4.04	0.10
Primitive Methodist	60	93	1.39	2.00	0.61
Baptist	52	46	1.18	1.00	0.18
Hebrew	10	11	0.23	0.23
Protestant Episcopal	5	16	0.12	0.37	0.25
German Evangelical	14	17	0.32	0.38	0.06
Unitarian, Christians, &c.	1	7	0.03	0.15	0.12
Registrars' Offices	208	250	4.79	5.43	0.64
TOTALS	4,343	4,605	100.00	100.00	3.10	3.10

The marriage registers show that out of 9,210 persons married during the year, 1,540 were minors, viz.: 118 males and 1,422 females, or 16.72 of the total number of marriages. The percentage of minors to the total number of persons married in the city is 10.71, in the suburbs 15.02; and in the country 19.44.

TABLE of Minors.

	No. of Marriages.	Minors.	
		Male.	Female.
Sydney	1,232	30	236
Suburbs	426	13	115
Country Districts	2,947	75	1,071
TOTALS	4,605	118	1,422

From the total number of persons married in the Colony in the year 1875, there were 1,129 who affixed their marks to the registers. These consisted of 500 males and 629 females. Thus 12.26 per cent. of the number of persons married could not write their names. In comparison with the previous year we find that the City shows about the same percentage, while in the Suburbs and Country Districts there is a decrease of 4.65 and 1.64 respectively.

	No. of Marriages.	Full Signatures.			Marks.			Marks per cent.
		Males.	Females.	Total.	Males.	Females.	Total.	
Sydney	1,232	1,126	1,075	2,201	106	157	263	10.67
Suburbs	426	417	407	829	9	19	28	3.28
Country Districts	2,947	2,562	2,494	5,056	385	453	838	14.21
TOTALS	4,605	4,105	3,976	8,081	500	629	1,129	12.26

The condition of those who entered into the marriage state was as follows:—Bachelors 4,153, spinsters 4,058, widowers 451, widows 547, and 1 divorced man.

TABLE of Bachelors and Spinsters, &c.

	No. of Marriages	Bachelors.	Spinsters.	Widowers.	Widows.	Divorced Man.
Sydney	1,232	1,066	1,056	165	176	1
Suburbs	426	374	385	52	41
Country Districts	2,947	2,713	2,617	234	330
TOTALS	4,605	4,153	4,058	451	547	1

(C.)

TABLE showing the number of MARRIAGES registered in the Colony of New South Wales during each quarter of the Year 1866 to 1875.

	Estimated Population at the middle of the Year.	31 March.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.	
Sydney	1866	65,580	269	277	254	242	1,042	15.88
	1867	68,587	294	277	260	246	1,077	15.70
	1868	71,310	304	321	281	286	1,192	16.71
	1869	74,310	332	330	299	314	1,275	17.15
	1870	77,131	297	313	323	302	1,235	16.01
	1871	79,540	320	325	316	255	1,216	15.28
	1872	79,745	305	256	264	230	1,055	13.23
	1873	83,000	316	346	299	297	1,258	15.15
	1874	86,213	277	339	306	302	1,224	14.19
	1875	89,796	324	324	297	287	1,232	13.72
			3,038	3,108	2,899	2,761	11,806	
Suburbs	1866	45,350	46	55	55	56	212	4.67
	1867	47,429	61	50	71	75	257	5.42
	1868	49,313	68	72	61	52	253	5.13
	1869	51,387	91	52	64	74	281	5.46
	1870	53,338	72	59	60	52	243	4.55
	1871	55,004	46	47	60	61	214	3.88
	1872	63,160	73	71	65	77	286	4.52
	1873	65,738	90	65	69	92	316	4.80
	1874	68,281	80	81	77	75	313	4.58
	1875	71,119	102	114	101	109	426	5.99
			729	666	683	723	2,801	
Country Districts	1866	308,765	555	538	573	542	2,208	7.15
	1867	322,927	565	466	552	509	2,092	6.47
	1868	335,749	582	544	602	563	2,291	6.82
	1869	349,877	574	546	572	551	2,243	6.41
	1870	363,162	646	539	576	609	2,370	6.52
	1871	374,504	657	661	630	575	2,523	6.73
	1872	384,777	679	648	613	644	2,584	6.71
	1873	400,479	729	710	685	686	2,810	7.01
	1874	415,976	689	729	707	681	2,806	6.74
	1875	433,264	786	731	740	690	2,947	6.80
			6,462	6,112	6,250	6,050	24,874	
New South Wales	1866	419,695	870	870	882	840	3,462	8.25
	1867	438,943	920	793	883	830	3,426	7.80
	1868	456,372	954	937	944	901	3,736	8.18
	1869	475,574	997	928	935	939	3,799	7.98
	1870	493,631	1,015	911	959	963	3,848	7.79
	1871	509,048	1,023	1,033	1,006	891	3,953	7.76
	1872	527,682	1,057	975	942	951	3,925	7.44
	1873	549,217	1,135	1,121	1,053	1,075	4,384	7.98
	1874	570,470	1,046	1,149	1,090	1,058	4,343	7.61
	1875	594,179	1,212	1,169	1,138	1,086	4,605	7.75
			10,229	9,886	9,832	9,534	39,481	

BIRTHS.

The number of births registered in the Colony during the year 1875 was 22,528, consisting of 11,380 males and 11,148 females, the increase on the previous year being 350, or 57 males and 293 females. The percentage of male to female births is 50.52 to 49.48, showing a difference in favour of males of 1.04. Taking the estimated population at the middle of the year, it is found that the ratio of births to every 1,000 is 37.92, and referring to table marked D, which will be found next in order, it will be seen that there has been a steady decrease in every year for the last nine years, except for the year 1873. The mean ratio for the previous nine years is 39.86, so that the decrease in the Births of 1875 is 2.14 below this average. Births registered in Sydney during the year numbered 1,595 males, and 1,567 females, in all 3,162, or 50.44 and 49.56 per cent. respectively, the numerical difference being only 28 in favour of male births, the previous year showing 135. In the suburbs registered births amounted to 2,908, comprising 1,481 males and 1,427 females, the former being 54 in excess of the latter. The percentage of male and female births to total births registered is 50.93 and 49.07 respectively. There were 16,458 births registered in the country districts, viz.:—8,304 males and 8,154 females, the former being 50.46 and the latter 49.54 per cent.

(D.)

(D.)

TABLE showing the number of BIRTHS registered in the Colony of New South Wales during each Quarter of the Years 1866 to 1875.

		Estimated Population at the middle of the year.	31 March.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.
Sydney	1866	65,580	620	595	643	620	2,478	37.78
	1867	68,587	591	632	709	676	2,608	38.02
	1868	71,310	650	680	678	585	2,593	36.36
	1869	74,310	637	762	782	664	2,845	38.28
	1870	77,131	685	757	773	694	2,909	37.71
	1871	79,540	724	752	802	702	2,980	37.48
	1872	79,745	700	729	727	723	2,879	36.09
	1873	83,000	760	755	826	724	3,065	36.92
	1874	86,213	762	775	824	760	3,121	36.20
	1875	89,796	748	858	797	759	3,162	35.21
			6,877	7,295	7,561	6,907	28,640	
	1866	45,350	465	527	553	534	2,079	45.84
	1867	47,429	534	557	600	598	2,289	48.26
	1868	49,313	532	557	631	557	2,277	46.17
Suburbs	1869	51,387	581	679	615	644	2,519	49.02
	1870	53,338	596	679	654	617	2,546	47.73
	1871	55,004	632	652	666	651	2,601	47.28
	1872	63,160	580	612	659	585	2,436	38.56
	1873	65,738	696	700	710	657	2,763	42.03
	1874	68,281	637	713	729	708	2,787	40.80
	1875	71,119	685	740	785	698	2,908	40.89
			5,938	6,416	6,602	6,249	25,205	
Country Districts	1866	308,765	3,026	3,047	3,276	3,044	12,393	40.13
	1867	322,927	3,079	3,079	3,725	3,537	13,420	41.55
	1868	335,749	3,364	3,399	3,594	3,258	13,615	40.55
	1869	349,877	3,298	3,430	3,679	3,472	13,879	39.66
	1870	363,162	3,234	3,493	3,892	3,574	14,193	39.08
	1871	374,504	3,521	3,537	3,903	3,601	14,562	38.88
	1872	384,777	3,687	3,624	3,941	3,683	14,935	38.81
	1873	400,479	3,755	3,509	4,202	4,150	15,616	38.99
	1874	415,976	3,824	3,903	4,331	4,212	16,270	39.11
	1875	433,264	3,893	4,113	4,282	4,170	16,458	37.98
			34,681	35,134	38,825	36,701	145,341	
New South Wales	1866	419,695	4,111	4,169	4,472	4,198	16,950	40.38
	1867	438,943	4,204	4,268	5,034	4,811	18,317	41.73
	1868	456,372	4,546	4,636	4,903	4,400	18,485	40.50
	1869	475,574	4,516	4,871	5,076	4,780	19,243	40.46
	1870	493,631	4,515	4,929	5,319	4,885	19,648	39.80
	1871	509,048	4,877	4,941	5,371	4,954	20,143	39.57
	1872	527,682	4,967	4,965	5,327	4,991	20,250	38.37
	1873	549,217	5,211	4,964	5,738	5,531	21,444	39.04
	1874	570,470	5,223	5,391	5,884	5,680	22,178	38.87
	1875	594,179	5,326	5,711	5,864	5,627	22,528	37.92
			47,496	48,845	52,988	49,857	199,186	

The number of Illegitimate Births registered in the Colony in the year 1875, was 947, which gives a percentage of 4.20 to total births, and is about the same proportion as was found for the previous year. Comparing these births to the population, it will be found that the proportion is 1.08 per 1,000, which is slightly under the figures for the previous year.

In Sydney the proportion per 1,000 was 2.89, Suburbs 1.19, and in Country 1.39.

(E.)

TABLE showing the number of CHILDREN born out of WEDLOCK in the Colony of New South Wales, from 1st January, 1866, to 31st December, 1875.

Year.	Sydney.			Suburban.			Country Districts.			Total.		
	Males.	Females.	Total	Males.	Females.	Total	Males.	Females.	Total	Males.	Females.	Total
1866.....	79	78	157	21	30	51	203	215	418	303	323	626
1867.....	65	77	142	32	33	65	232	231	463	329	341	670
1868.....	67	82	149	30	28	58	253	239	492	350	349	699
1869.....	106	78	184	29	28	57	274	228	502	409	334	743
1870.....	90	95	185	52	38	90	250	230	480	392	363	755
1871.....	105	101	206	30	31	61	259	256	515	394	388	782
1872.....	94	88	182	34	32	66	287	281	568	415	401	816
1873.....	98	101	199	42	44	86	293	311	604	433	456	889
1874.....	117	124	241	40	48	88	305	301	606	462	473	935
1875.....	132	128	260	41	44	85	321	281	602	494	453	947
	953	952	1,905	351	356	707	2,677	2,573	5,250	3,981	3,881	7,862

During

During the year 1875, there were 200 cases of Twins, in one of which one of the children was still-born, thus leaving 399 children registered under this class. The number of each sex was 180 males and 219 females. The percentage of children born as twins is 1.77 of total number of births.

(F.)

TABLE showing the number of TRIPLETS and TWINS born in the Colony of New South Wales from 1st January, 1866, to 31st December, 1875.

Year.	Triplets.				Twins.			
	No. of Cases.	Males.	Females.	Total.	No. of Cases.	Males.	Females.	Total.
1866	2	2	4	6	151	141	155	296*
1867	158	148	166	314†
1868	3	7	2	9	162	174	150	324
1869	4	6	6	12	165	161	169	330
1870	2	1	5	6	188	189	187	376
1871	1	2	1	3	194	198	190	388
1872	5	7	8	15	179	173	183	356†
1873	1	3	3	189	204	173	377†
1874	4	9	3	12	177	182	171	353†
1875	1	3	3	200	180	219	399†
	23	34	35	69	1,763	1,750	1,763	3,513

* Six stillborn not registered.

† Two stillborn.

‡ One stillborn.

DEATHS.

The number of deaths recorded in the year amounted to 10,771, being 2,119 in excess of the year preceding. Male deaths numbered 6,245, and female 4,526, the former exceeding the latter by 1,719. The percentage to total deaths of males is 57.98, and of females 42.02. The mortality of the Colony was at the rate of 18.12 per 1,000 of population, which shows an increase of 2.96 per 1,000 over the rate of 1874; in fact only once has the death rate of the year 1875 been exceeded in the decade, viz., in the year 1867. The ratio for the preceding nine years is 15.12, which comes to nearly the same as the rate for the year 1874. The percentage of deaths registered in each quarter to the total number of deaths is as follows:—March, 29.54; June, 25.73; September, 21.43; December, 23.30.

In Sydney the deaths registered during the year numbered 1,386 males and 1,287 females, in all 2,673. This amounts to 29.76 per 1,000 of estimated population, and is 5.67 in excess of the mortality of the previous year, and 5.74 of the mean of the previous nine years. The number of deaths registered in the Suburbs was 1,647, viz.—830 males and 817 females, or 23.15 per 1,000 of population. Here again we find that the rate of the previous year is exceeded by 5.59, and that of the previous nine years by 4.68. There were 6,451 deaths registered in the Country Districts, consisting of 4,029 males and 2,422 females, which gives a proportion of 14.89 per 1,000, and 1.97 over the figures for the previous year, and 1.91 over the mean of the nine years preceding. The percentage of male to female deaths, registered in each of the divisions, is as follows:—Sydney, males 51.85, females 48.15; Suburbs, males 50.39, females 49.61; Country Districts, males 62.46, females, 37.54. Thus the mortality of males is greater in the City to that of females by 3.70, in the Suburbs by 0.78, and in the Country by 24.92.

(G.)

TABLE showing the number of DEATHS registered in the Colony of New South Wales, during each Quarters of the Years 1866 to 1875.

	Estimated population at the middle of each Year.	31 Mar.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000, living.	
Sydney	1866	65,580	389	412	347	454	1,602	24.42
	1867	68,587	583	797	330	441	2,151	31.36
	1868	71,310	413	410	349	427	1,599	22.42
	1869	74,310	371	354	377	409	1,511	20.33
	1870	77,131	386	355	337	414	1,492	19.34
	1871	79,540	332	362	439	450	1,583	19.90
	1872	79,745	477	398	438	497	1,810	22.69
	1873	83,000	468	430	408	494	1,800	21.68
	1874	86,213	460	401	492	724	2,077	24.09
	1875	89,796	900	560	562	651	2,673	29.76
			4,779	4,479	4,079	4,961	18,298	

TABLE G, showing the number of DEATHS, &c.—continued.

	Estimated Population at the middle of each Year.	31 Mar.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000, living.	
Suburbs	1866	45,350	220	256	174	316	966	21.31
	1867	47,429	292	551	243	300	1,386	29.22
	1868	49,313	216	247	215	278	956	19.59
	1869	51,387	240	226	220	245	931	18.11
	1870	53,338	200	193	187	210	790	14.81
	1871	55,004	182	169	247	285	883	16.05
	1872	63,160	244	184	192	295	915	14.48
	1873	65,738	213	248	249	287	997	15.16
	1874	68,281	298	291	262	348	1,199	17.56
	1875	71,119	533	332	295	487	1,647	23.15
			2,638	2,697	2,284	3,051	10,670	
Country Districts	1866	308,765	1,467	1,351	993	982	4,793	15.52
	1867	322,927	1,312	1,226	1,346	1,210	5,094	15.77
	1868	335,749	1,335	1,273	1,027	1,035	4,670	13.90
	1869	349,877	1,216	1,141	940	952	4,249	12.14
	1870	363,162	1,216	1,122	994	944	4,276	11.77
	1871	374,504	988	949	969	1,035	3,941	10.52
	1872	384,777	1,418	1,134	1,110	1,081	4,743	12.32
	1873	400,479	1,326	1,180	1,169	1,139	4,814	12.02
	1874	415,976	1,350	1,409	1,309	1,308	5,376	12.92
	1875	433,264	1,749	1,879	1,452	1,371	6,451	14.89
			13,377	12,644	11,309	11,057	48,407	
New South Wales	1866	419,695	2,076	2,019	1,514	1,752	7,361	17.53
	1867	438,943	2,187	2,574	1,919	1,951	8,631	19.66
	1868	456,372	1,964	1,930	1,591	1,740	7,225	15.83
	1869	475,574	1,827	1,721	1,537	1,606	6,691	14.06
	1870	493,631	1,802	1,670	1,518	1,568	6,558	13.28
	1871	509,048	1,502	1,480	1,055	1,770	6,407	12.58
	1872	527,682	2,139	1,716	1,740	1,873	7,468	14.15
	1873	549,217	2,007	1,858	1,826	1,920	7,611	13.85
	1874	570,470	2,108	2,101	2,063	2,380	8,652	15.16
	1875	594,179	3,182	2,771	2,309	2,509	10,771	18.12
			20,794	19,840	17,672	19,069	77,375	

Out of the total number of deaths in the year 1875 (10,771), we find that 4,958 or 46.03 per cent. were those of children under the age of 5 years. The mean infantile mortality for the preceding nine years is 43.88, so that the percentage of the year under consideration is in excess by 2.15. Comparing deaths under five years with deaths registered in Sydney, it will be seen that there were 1,264 of the former to 2,673 of the latter, or 47.29 to 52.71 per cent. In the Suburbs, out of a total of 1,647 of these deaths 913 were under age of five years, giving a percentage of 55.43; and in the Country, from a total of 6,451 deaths, there were 2,781 or 43.10 per cent. Deaths in this class then exceeded those of the previous year by 2.57 in Sydney, and by 2.79 in the Country, while the Suburbs show a decrease of 0.61.

(H.)

INFANTILE MORTALITY.

Year.	Total Deaths of the Year.	Total Deaths under 5 years.	Percentage of total Deaths under 5 years to Deaths of the year.	Sydney.			Suburbs.			Country Districts.		
				Total Deaths of Year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths.	Total Deaths of Year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths.	Total Deaths of Year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths.
1866	7,361	3,292	44.72	1,602	717	44.75	966	535	55.38	4,793	2,040	42.56
1867	8,631	4,574	52.99	2,151	1,262	58.07	1,386	925	66.73	5,094	2,387	46.85
1868	7,225	3,105	42.97	1,599	748	46.77	956	512	53.55	4,670	1,845	39.50
1869	6,691	2,973	44.43	1,511	712	47.12	931	553	59.39	4,249	1,708	40.19
1870	6,558	2,803	42.74	1,492	673	45.10	790	411	52.02	4,276	1,719	40.20
1871	6,407	2,705	42.21	1,583	743	46.93	883	487	55.15	3,941	1,475	37.42
1872	7,468	3,203	42.91	1,810	815	45.02	915	503	54.97	4,743	1,885	39.74
1873	7,611	2,924	38.42	1,800	719	39.94	997	510	51.15	4,814	1,695	35.62
1874	8,652	3,768	43.55	2,077	929	44.72	1,199	672	56.04	5,376	2,167	40.31
1875	10,771	4,958	46.03	2,673	1,264	47.29	1,647	913	55.43	6,451	2,781	43.10
	77,375	34,305		18,298	8,582		10,670	6,021		48,407	19,702	
Mean of 10 years	7,737	3,430		1,829	858		1,067	602		4,840	1,970	

Comparing deaths under 5 years with total deaths in each Ward of the City, it will be seen that Denison Ward is at the head of the list with a percentage of 64·53, and that Fitzroy Ward shows the lowest figures at 46·91. The Infirmary is situate in Bourke Ward and on that account is not considered. Continuing this comparison with each of the Metropolitan Divisions we find the following results:— Waterloo, 68·04; Glebe, 63·52; Balmain, 61·43; Redfern, 60·90; Paddington, 54·06; Newtown, 52·90; Concord, 44·70; St. George, 39·00; St. Leonards, 35·90; Randwick, 32·26.

TABLE showing the BIRTHS and DEATHS of Males and Females registered in each Ward of the City of Sydney, from the 1st January, to the 31st December, 1875, distinguishing the Deaths under 5 years of age.

Wards.	Population, Census, 1871.	Births.			Deaths.						Total Deaths.	
					Under 5 years.			Above 5 years.				
		Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.		
1.—Gipps	8,969	191	189	380	70	72	142	67	44	111	253	
2.—Bourke	5,257	62	56	118	31	34	65	276	179	455	520†	
3.—Brisbane	7,269	128	143	271	50	53	103	65	42	107	210	
4.—Macquarie	7,945	147	133	280	39	54	93	39	53	92	185	
5.—Cook	14,694	364	392	756	168	142	310	110	112	222	532	
6.—Fitzroy	12,000	247	214	461	84	98	182	100	106	206	388	
7.—Phillip	8,154	222	243	465	91	87	178	48	63	111	289	
8.—Denison	10,135	234	197	431	99	92	191	49	56	105	296	
Totals.....	*74,423	1,595	1,567	3,162	632	632	1,264	754	655	1,409	2,673	

* Exclusive of the Islands in Port Jackson.

† 310 of these deaths (226 males and 84 females) occurred in the Sydney Infirmary.

(I.)

Ward.	Percentage of—																																							
	Deaths under 5 years to total Deaths in each Ward.										Deaths under 5 years to Births in each Ward.										Total Deaths to Births in each Ward.								Total Deaths to Population in each Ward. (Census 1861 and 1871.)											
	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.										
1. Gipps	54.43	62.80	57.70	53.75	51.53	57.05	48.48	45.39	52.34	56.13	26.13	50.99	25.79	22.16	19.30	22.82	22.47	20.96	29.71	37.37	48.01	81.16	44.64	41.23	37.46	40.00	46.34	46.17	56.76	66.58	2.34	3.94	2.13	2.21	1.81	1.75	1.84	1.81	2.38	2.82
*2. Bourke	18.23	21.71	17.84	13.62	11.41	13.01	13.53	10.74	9.44	12.50	33.68	43.65	28.69	25.78	26.62	35.07	40.16	36.52	36.21	55.09	6.78	7.68	7.17	5.84	6.28	6.86	6.88	7.43	8.46	9.89
3. Brisbane	52.12	69.30	55.77	55.40	50.72	58.82	47.91	39.86	56.73	49.05	35.36	55.12	34.52	26.79	24.47	27.30	23.09	18.91	41.99	38.01	67.07	59.52	61.90	48.36	48.25	46.41	48.16	47.43	74.02	77.49	2.61	3.20	2.47	2.34	2.18	1.87	1.98	2.03	2.86	2.89
4. Macquarie	48.30	67.24	45.26	55.26	46.96	53.02	51.87	46.71	43.24	50.27	24.74	47.85	25.74	28.00	16.48	21.16	25.27	22.45	22.94	33.21	57.05	71.17	56.88	50.66	35.10	39.78	48.71	44.56	53.05	66.07	2.14	2.57	2.10	1.68	1.46	1.37	1.67	1.72	1.86	2.33
5. Cook	55.8	67.77	58.29	55.15	63.72	57.14	55.62	53.77	61.16	58.27	31.32	43.50	30.52	21.61	22.49	18.93	27.51	23.95	30.62	41.00	56.60	64.16	52.37	39.79	35.30	33.12	49.45	44.54	50.97	70.37	2.38	2.92	2.40	2.34	2.60	1.48	2.18	2.25	2.47	3.62
6. Fitzroy	47.15	61.54	54.62	54.61	49.66	52.57	42.75	39.14	47.53	46.91	24.18	40.13	28.41	25.62	25.21	31.56	27.00	23.11	28.72	39.48	51.28	65.21	52.02	46.92	50.77	60.04	63.15	59.03	60.42	84.16	2.72	3.55	3.05	2.57	2.70	2.26	2.30	2.15	2.37	3.23
7. Phillip	59.44	71.20	55.81	54.44	59.37	65.62	57.47	53.84	57.14	61.59	32.07	62.24	29.26	30.43	26.76	29.34	27.47	23.09	27.55	33.28	53.95	87.41	52.44	55.90	45.07	44.56	47.80	42.89	48.22	62.15	2.41	4.34	2.18	3.04	2.70	1.96	2.13	2.07	2.66	3.54
8. Denisen	53.93	73.00	57.14	60.00	54.60	56.27	64.41	54.18	56.56	64.53	29.63	51.33	27.96	24.05	22.13	22.98	39.89	25.82	26.48	44.31	53.86	70.32	48.93	40.09	40.54	40.75	61.94	47.65	46.81	68.68	2.24	3.26	1.99	2.11	2.02	1.69	2.33	2.00	1.95	2.92

* The Infirmary is situated in Bourke Ward.

(J.)

District.	Per centage of—																																							
	Deaths under 5 years to total Deaths in each District.										Deaths under 5 years to Births in each District.										Total Deaths to Births in each District.								Total Deaths to Population in each District. (Census 1861 and 1871.)											
	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.										
1. Sydney	44.75	58.67	46.77	47.12	45.10	46.93	45.02	39.94	44.72	47.29	28.93	48.39	28.84	25.02	23.13	24.93	28.30	23.49	29.76	39.97	64.65	82.48	61.66	53.11	51.28	53.12	62.86	58.72	66.55	84.53	2.82	3.78	2.81	2.65	1.93	2.07	2.37	2.36	2.72	3.50
2. Balmain	52.52	69.23	52.08	62.88	52.94	58.06	61.54	57.62	64.62	61.43	22.51	35.04	20.74	19.74	18.30	17.76	22.00	18.88	25.06	33.24	42.85	51.18	39.83	31.39	34.57	30.60	35.73	32.77	38.78	54.12	2.51	3.29	2.43	2.46	2.58	1.35	1.52	1.71	2.13	3.05
3. Glebe	54.13	64.89	56.52	65.67	60.16	52.87	53.93	49.07	57.44	63.52	29.75	51.96	30.11	27.93	24.58	16.91	17.84	17.32	27.93	33.44	54.96	80.07	53.28	42.54	40.86	31.98	33.08	35.29	48.62	52.64	3.58	6.06	3.71	3.61	3.31	1.52	1.55	1.88	2.46	2.77
4. Newtown	46.06	66.11	51.16	54.02	41.77	53.12	47.36	52.41	57.83	52.90	19.99	39.21	22.33	20.43	12.17	19.10	18.15	19.95	23.13	39.24	43.20	59.31	43.65	37.82	29.15	35.95	38.32	38.05	40.00	74.19	2.10	2.85	2.03	2.05	1.86	1.67	1.83	2.09	3.69	
5. Redfern	61.86	76.00	58.51	68.16	63.15	66.40	65.51	55.15	57.00	60.90	26.54	54.24	24.49	25.49	19.41	23.38	24.35	22.75	23.72	32.00	42.91	59.52	41.28	37.40	30.73	35.21	37.17	41.25	41.63	52.50	3.52	5.60	4.03	3.65	3.11	1.98	1.79	2.03	2.21	2.72
*6. Waterloo	1.91	2.10	2.39	3.08
7. Paddington	57.31	57.34	48.76	53.48	45.37	54.60	52.72	44.56	51.04	54.06	30.53	41.80	21.29	22.44	13.00	20.75	24.54	16.14	26.07	32.33	53.27	72.95	43.66	41.05	28.64	38.00	46.61	56.14	51.07	59.81	2.51	3.93	2.38	2.53	1.58	1.33	1.44	1.31	1.98	2.27
* Randwick	1.04	1.79
8. Concord	52.63	54.54	39.13	52.17	36.73	43.90	44.67	50.00	40.10	44.70	25.00	23.62	15.12	18.90	12.94	12.58	16.28	15.13	13.12	23.89	47.50	43.30	38.65	36.22	35.25	28.67	37.20	30.26	32.50	53.46	2.46	2.33	1.95	1.95	2.07	1.16	1.33	1.30	1.47	2.41
9. St. George	51.22	64.96	56.36	50.49	55.40	39.80	53.35	37.09	48.43	39.00	26.25	32.84	23.56	16.45	13.89	12.19	15.58	11.16	16.06	21.10	51.25	50.55	42.58	32.58	25.08	30.62	22.72	30.10	33.16	54.13	2.17	2.43	1.94	1.79	1.31	1.16	0.84	1.16	1.19	2.21
10. St. Leonards	56.89	68.42	47.91	46.94	34.78	45.45	32.72	48.33	44.94	35.90	19.52	33.33	12.63	14.11	8.51	16.21	9.27	14.35	19.51	13.40	34.32	48.72	26.37	30.06	24.46	35.67	28.35	30.00	43.41	37.32	1.67	2.20	1.39	1.42	1.33	1.28	1.07	1.16	1.73	1.52

		Population, Census, 1871.	Births.	Deaths under 5.	Total Deaths.
1. Sydney	...	76,159	3,162	1,264	2,673
2. Balmain	...	6,886	388	129	210
3. Glebe	...	5,721	302	101	159
4. Newtown	...	7,922	395	155	293
5. Redfern	...	8,092	419	134	220
6. Waterloo	...	6,306	358	132	194
7. Paddington	...	1,141	433	140	259
8. Concord	...	3,520	159	38	85
9. St. George	...	5,340	218	46	118
10. St. Leonards	...	5,126	209	28	78

By referring to the table now preceding, of the classification of diseases which have proved fatal during the year in the Colony, it will be seen that *Zymotic* Diseases show a percentage of 29.46, which is 7.08 higher than the previous year. Under this class Miasmatic Diseases alone account for 27.12. Though this percentage is no doubt high, yet it falls short of that for the year 1867 by 3.73; but exceeds the figures of the previous year by 7.08, and also the average of the decade by 5.43. *Constitutional* diseases account for 11.46 per cent. of total deaths, and are a shade lower than the previous year. *Local* diseases amount to 35.62 of total deaths, and are lower by 4.47 than the previous year. The percentage of deaths under the class *Developmental* is 16.19, being nearly the same as in the preceding year. Under the head of *Violence* it will be seen that the percentage is reduced from 7.80 to 6.74.

(K.)

	1866. Per- centage.	1867. Per- centage.	1868. Per- centage.	1869. Per- centage.	1870. Per- centage.	1871. Per- centage.	1872. Per- centage.	1873. Per- centage.	1874. Per- centage.	1875. Per- centage.
CLASS I.—ZYMOTIC DISEASES.										
Order 1.—Miasmatic Diseases—Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c.										
26.27	33.19	22.85	20.41	17.37	16.58	19.09	15.52	20.09	27.12	
2.—Enthetic Diseases—Syphilis, Gonorrhœa, &c.	0.46	0.24	0.47	0.19	0.26	0.28	0.36	0.46	0.34	0.23
3.—Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.	1.85	1.19	1.77	1.60	0.98	1.16	1.29	1.59	1.50	1.66
4.—Parasitic Diseases, Thrush, Worms, &c.	0.54	0.45	0.40	0.30	0.34	0.36	0.29	0.28	0.45	0.39
	29.12	35.07	25.49	22.50	18.95	18.38	21.03	17.85	22.38	29.46
CLASS II.—CONSTITUTIONAL.										
Order 1.—Diathetic Diseases—Gout, Dropsy, Cancer, &c.										
2.93	2.66	3.34	3.62	3.52	4.03	4.09	4.27	3.69	3.24	
2.—Tubercular Diseases—Scrofula, Phthisis, Hydrocephalus, &c.	7.85	6.91	7.70	7.53	9.01	9.24	9.52	8.78	8.74	8.22
	10.78	9.57	11.04	11.15	12.53	13.27	13.61	13.05	12.43	11.46
CLASS III.—LOCAL.										
Order 1.—Nervous—Apoplexy, Paralysis, Insanity, Convulsions, Cephalitis, Brain Disease, &c.										
12.30	11.88	14.16	14.09	14.44	15.36	15.33	15.50	14.62	12.13	
2.—Circulation—Pericarditis, Aneurism, Heart Disease, &c.	4.24	3.62	4.04	5.16	6.08	5.85	5.01	5.99	5.73	4.61
3.—Respiratory—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	7.32	8.49	9.23	10.12	9.64	10.47	9.35	10.87	11.34	10.13
4.—Digestive—Gastritis, Enteritis, Peritonitis, Hernia, &c.	6.43	5.93	6.08	6.83	6.67	7.10	6.81	7.15	6.31	6.64
5.—Urinary—Nephritis, Ischuria, Diabetes, &c.	0.76	0.71	0.97	1.27	1.18	1.64	1.42	1.60	1.68	1.62
6.—Generation—Ovarian Dropsy, Uterus Diseases, &c.	0.31	0.27	0.43	0.46	0.24	0.34	0.47	0.25	0.17	0.21
7.—Joints—Arthritis, Osteitis, Periostitis, &c.	0.27	0.16	0.15	0.15	0.12	0.14	0.12	0.14	0.11	0.18
8.—Integumentary—Phlegmon, Ulcer, Skin Disease, &c.	0.46	0.28	0.26	0.33	0.21	0.19	0.23	0.06	0.13	0.10
	32.09	31.34	35.32	38.41	38.58	41.09	38.44	41.56	40.09	35.62
CLASS IV.—DEVELOPMENTAL.										
Order 1.—Children—Cyanosis, Spina-Bifida, Teething, &c.										
5.45	4.63	5.15	5.47	5.46	4.62	5.06	4.32	4.36	4.68	
2.—Adults—Paramenia, Childbirth, &c.	0.63	0.63	0.49	0.69	0.70	0.80	0.49	0.74	1.00	0.98
3.—Old People—Old Age, &c.	3.07	2.49	5.23	4.95	5.32	5.26	5.54	6.42	5.13	4.96
4.—Nutrition—Atrophy, Debility	9.08	7.38	6.98	7.13	7.37	6.54	6.25	7.06	6.27	5.57
	18.23	14.53	17.85	18.24	18.85	17.22	17.34	18.54	16.76	16.19
CLASS V.—VIOLENCE.										
Order 1.—Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.										
7.25	6.98	7.71	7.67	9.68	8.67	7.91	7.82	6.84	6.02	
2.—Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds
3.—Homicide—Murder and Manslaughter....	0.29	0.13	0.26	0.21	0.13	0.34	0.27	0.24	0.28	0.15
4.—Suicide—Poison, Drowning, Hanging, &c.	0.34	0.46	0.55	0.57	0.53	0.44	0.55	0.46	0.65	0.48
5.—Execution—Hanging	0.08	0.05	0.06	0.03	0.07	0.05	0.03	0.02
Unclassified—Violent Deaths	0.07
	7.96	7.62	8.58	8.45	10.34	9.48	8.80	8.57	7.80	6.74
Unspecified	1.82	1.87	1.72	1.25	0.75	0.56	0.78	0.43	0.54	0.59

By way of comparing the deaths from some of the principal diseases to the total number of deaths registered in Sydney, Suburbs, and Country Districts respectively, I give the following percentage table:—

	Sydney.	Suburbs.	Country.		Sydney.	Suburbs.	Country.
Measles	6.06	6.13	7.58	Apoplexy	2.50	1.94	1.78
Scarlatina	3.92	6.98	1.11	Convulsions	3.96	4.98	4.45
Typhus and Infantile Fever.....	2.80	2.50	2.82	Heart Disease, &c.	4.03	4.12	4.09
Dysentery	1.08	0.85	2.65	Bronchitis	3.96	4.25	4.00
Diarrhoea	7.77	8.74	3.78	Pneumonia.....	3.96	3.82	3.76
Delirium Tremens and Intemperance	1.38	0.24	0.88	Premature birth	2.50	1.45	2.18
Dropsy	0.56	0.54	1.44	Teething.....	1.53	3.09	2.29
Tabes Mesenterica	2.13	2.73	1.30	Old age	2.28	2.80	6.62
Phthisis	7.52	6.37	4.71	Atrophy and Debility	6.06	8.98	4.49
Cephalitis	2.28	2.18	1.30				

The total number of deaths from the diseases specified below, as well as the number of deaths under 5 years, which have been registered during the year in Sydney, Suburbs, and Country Districts, will be seen on reference to the following Table:—

Zymotic Diseases.	Sydney.		Suburbs.		Country Districts.	
	No. of Deaths.	Deaths under 5 years.	No. of Deaths.	Deaths under 5 years.	No. of Deaths.	Deaths under 5 years.
Measles	162	144	101	73	489	355
Scarlatina	105	76	115	82	82	46
Diphtheria	36	30	12	12	117	59
Croup	27	19	24	20	76	66
Whooping Cough	2	2	102	95
Typhus and Infantile Fever	75	15	41	10	182	55
Erysipelas.....	26	4	24	8	36	6
Influenza	6	3	3	1	48	36
Metria	18	14	15
Dysentery	29	5	14	10	171	100
Diarrhea	208	164	144	118	244	204
Cholera	20	13	5	5	25	21
Rheumatism.....	14	7	37	2
Delirium Tremens	17	8
Intemperance	20	4	49
Thrush	7	7	4	24	24	24
CONSTITUTIONAL DISEASES.						
Dropsy	15	1	9	1	93	15
Cancer	44	19	1	118
Tumour.....	2	3	23	1
Tabes Mesenterica	57	56	45	45	84	83
Phthisis	201	8	105	4	304	11
Hydrocephalus.....	19	18	4	4	29	29
LOCAL DISEASES.						
Cephalitis	61	52	36	33	84	69
Apoplexy	67	32	1	115
Paralysis	24	13	89	1
Insanity	1	47
Epilepsy	9	1	17	49
Convulsions	106	101	82	77	352	352
Brain disease, &c.	41	1	17	1	61	5
Heart disease, &c.	107	2	68	4	264	8
Bronchitis.....	106	57	70	53	258	150
Pneumonia	106	53	63	38	244	99
Congestion of Lungs—Pulmonary	13	6	21	13	46	25
Lung disease, &c.	11	2	11	1	36	4
Asthma	11	11	32	2
Gastritis	35	29	9	5	32	13
Enteritis	38	22	32	23	148	77
Peritonitis	20	2	9	28	1
Hepatitis	23	1	13	3	30	1
Liver disease, &c.	51	2	17	2	86	6
Nephritis	32	3	11	1	11	1
DEVELOPMENTAL.						
Premature birth	67	67	24	24	141	141
Teething	41	41	51	51	148	148
Childbirth	30	7	65
Old age	61	46	427
Atrophy and debility	162	162	148	147	290	289

The next and last Table gives the mean number of deaths in Sydney for each month of the year of the decade, together with the mean temperature, rainfall &c., &c.

(L.)

Period.	No. of Deaths.	Mean Temperature.	Mean height of Barometer.	Rain.		Mean amount of Ozone.
				Depth.	Days.	
January.....	180	71.4	29.929	4.03	14	4.6
February	147	70.6	29.985	7.24	16	4.5
March	149	68.7	30.082	6.66	16	4.7
April	157	64.9	30.112	6.25	13	5.0
May	155	58.9	30.111	6.92	15	5.0
June	135	55.4	30.102	6.10	12	5.2
July	142	52.6	30.141	3.74	10	5.3
August	142	54.7	30.094	1.64	9	5.0
September.....	124	58.5	30.057	1.64	10	5.4
October	139	64.1	29.998	2.53	13	5.4
November	158	66.6	29.950	3.63	12	5.3
December	199	70.4	29.910	2.54	11	4.7
Mean of 12 months	153	63.0	30.040	4.41	13	5.0

Having now briefly reviewed the principal results disclosed by the Statistics of Marriages, Births, and Deaths for the year 1875,

I have the honor to be,

Sir,

Your obedient servant,

E. G. WARD,

Registrar General.

INDEX TO TABLES.

							PAGE.
Births—							
Quarterly Abstract (1875)	4
" " (1866 to 1875)	6
Children out of Wedlock	7
Triplets and Twins	8
In the Colony	16
In each District	16
In each Ward of the City, in proportion to Deaths, &c.	11
In each Suburban District	11
At Sea, registered in the Colony	59
In each Ward of the City	10
Deaths—							
Quarterly Abstract (1875)	4
" " (1866 to 1875)	8
In the Colony	16
In each District	16
In each Ward of the City, in proportion to Births, &c.	11
In each Suburban District	11
Infants, 1866 to 1875	9
Males, at Ages, New South Wales, with Diseases and Ages	19
" " City of Sydney,	"	"	28
" " Suburban Districts	"	"	37
" " Country Districts	"	"	46
Females " New South Wales	"	"	22
" " City of Sydney	"	"	31
" " Suburban Districts	"	"	40
" " Country Districts	"	"	49
Both Sexes " New South Wales	"	"	25
" " City of Sydney	"	"	34
" " Suburban Districts	"	"	43
" " Country Districts	"	"	52
From each Cause, in the City of Sydney	56
Monthly Mortality	55
At Sea, registered in the Colony	59
Mortality, Temperature, &c.	14
Diseases classified (1866, 1867, 1868, 1869, 1870, 1871, 1872, 1873, 1874, and 1875, compared)	12
In each Ward of the City	10
Marriages—							
Quarterly Abstract (1875)	4
" " (1866 to 1875)	6
In the Colony	16
In each District	16
Denominations (1875)	18
" " (1866 to 1875)	4
Registration Districts and District Registrars	59
Temperature, Height of Barometer, Rain, &c. (1866 to 1875)	14

APPENDIX.

A.

TABLE showing the number of MARRIAGES, BIRTHS, and DEATHS registered in the Colony of New South Wales, during the year ended 31st December, 1875.

	Marriages.	Births.			Deaths.		
		Males.	Females.	Total.	Males.	Females.	Total.
Sydney.....	1,232	1,595	1,567	3,162	1,386	1,287	2,673
Suburban Districts.....	426	1,481	1,427	2,908	830	817	1,647
Metropolitan	1,658	3,076	2,994	6,070	2,216	2,104	4,320
Country Districts	2,947	8,304	8,154	16,458	4,029	2,422	6,451
	4,605	11,380	11,148	22,528	6,245	4,526	10,771

B.

TABLE showing the MARRIAGES, BIRTHS, AND DEATHS registered in each District of the Colony of New South Wales, during the year ended 31 December, 1875.

Districts.	Popula- tion, Census 1871.	Mar- riages.	Total.		Births.				Deaths.		Excess of Births over Deaths.	
			Births.	Deaths.	Including Illegitimate Births.		Illegitimate Births.		M.	F.		
					M.	F.	M.	F.				
I.—NORTH EASTERN.												
1. Richmond River	4,528	31	229	49	109	120	1	...	33	16	180	
2. Tweed River.....	449	10	4	5	5	5	1	2	2	2	6	
3. Grafton	8,965	75	412	95	211	201	9	4	61	34	317	
McLean.....		13	108	22	50	58	1	2	13	9	86	
4. Macleay River	4,975	29	200	70	99	101	2	4	45	25	130	
Nambucca River		1	18	1	15	3	1	17	
Bellinger River	2,131	3	24	14	15	9	11	3	10	
5. Port Macquarie		12	81	15	40	41	2	...	8	7	66	
6. Manning River.....	5,171	33	184	54	100	84	2	...	29	25	130	
7. Port Stephens	2,659	15	122	27	65	57	1	2	15	12	95	
8. Dungog	1,950	8	87	24	50	37	1	1	15	9	63	
9. Clarence Town	1,000	3	36	8	20	16	2	...	5	3	28	
10. Paterson	2,561	10	84	15	36	48	1	2	7	8	69	
11. Raymond Terrace	3,015	15	91	26	50	41	3	2	12	14	65	
12. Maitland	13,670	128	481	240	241	240	11	11	140	100	241	
13. Morpeth	3,289	26	127	57	74	53	2	1	35	22	70	
14. Patrick's Plains	6,699	55	250	76	135	115	2	1	46	30	174	
15. Muswellbrook	3,616	24	134	40	63	71	3	1	28	12	94	
16. Scone	3,793	29	152	44	85	67	2	3	31	13	108	
17. Murrurundi	4,143	44	219	97	111	108	5	3	57	40	122	
	554	3,049	978	1,574	1,475	50	38	593	385	2,071	
II.—NORTH MIDLAND.												
1. Tenterfield	2,349	24	133	25	68	65	1	1	18	7	108	
2. Wellingrove	2,648	30	136	57	67	69	4	1	35	22	79	
Vegetable Creek*.....		6	36	15	14	22	...	3	10	5	21	
3. Inverell	2,366	52	231	62	112	119	10	6	40	22	160	
4. Armidale	9,760	69	438	124	234	194	3	6	82	42	314	
	181	974	283	495	469	18	17	185	98	691	

*This was only created a Registry District on 1st April, 1875.

Districts.	Popula- tion, Census, 1871.	Mar- riages.	Total.		Births.				Deaths.		Excess of Births over Deaths.	
			Births.	Deaths.	Including Illegitimate Births.		Illegitimate Births.		M.	F.		
					M.	F.	M.	F.				
III.—NORTH WESTERN.												
1. Tamworth	6,806	{ 66	303	107	161	142	8	5	68	39	196	
Gunnedah		{ 27	89	22	39	50	2	2	18	4	67	
2. Nundle	2,068	5	51	19	23	28	1	1	12	7	32	
3. Warialda	3,656	14	171	42	87	84	5	5	31	11	129	
4. Cassilis	2,838	11	99	31	57	42	5	3	19	12	68	
5. Dubbo	4,289	36	191	67	115	76	4	4	50	17	124	
6. Coonabarabran	2,219	25	142	33	75	67	2	3	22	11	109	
7. Molong	3,167	22	135	32	73	62	3	1	17	15	103	
8. Forbes	6,709	{ 44	153	78	72	81	4	5	52	26	75	
Parkes		{ 24	187	74	91	96	4	4	47	27	113	
9. Walgett	1,445	8	31	18	14	17	1	...	15	3	13	
10. Narrabri	1,699	22	75	30	42	33	2	2	21	9	45	
TOTAL	304	1,627	553	849	778	41	35	372	181	1,074	
IV.—METROPOLITAN.												
1. City of Sydney	76,159	1,232	3,162	2,673	1,595	1,567	132	128	1,386	1,287	489	
2. Balmain	6,886	45	388	210	214	174	3	2	101	109	178	
3. Glebe	5,721	23	302	159	148	154	5	8	88	71	143	
4. Newtown	7,922	84	395	293	205	190	7	2	128	165	102	
5. Redfern	8,092	22	419	220	218	201	7	5	115	105	199	
6. Waterloo	6,306	63	358	194	179	179	4	12	95	99	164	
7. Paddington	11,411	{ 81	433	259	219	214	8	8	129	130	174	
Randwick		{ 1	27	31	16	11	...	1	20	11	
8. Concord	3,520	35	159	85	80	79	2	1	44	41	74	
9. St. George	5,340	41	218	118	105	113	3	4	61	57	100	
10. St. Leonard's	5,126	31	209	78	97	112	2	1	49	29	131	
TOTAL	1,658	6,070	4,320	3,076	2,994	173	172	2,216	2,104	1,754	
V.—EAST MIDLAND.												
1. Newcastle	18,667	{ 160	645	288	325	320	14	15	162	126	357	
Lambton		{ 24	244	134	125	119	4	4	60	74	110	
WallSEND		{ 29	222	94	113	109	57	47	128	
2. Wollombi	1,952	12	87	19	46	41	1	1	15	4	68	
3. McDonald River	625	3	28	8	8	20	...	1	5	3	20	
4. Brisbane Water	2,607	11	97	26	41	56	...	4	16	10	71	
5. Windsor	4,963	31	158	87	85	73	3	3	57	30	71	
6. Richmond	3,083	23	117	47	54	63	5	7	22	25	70	
7. Penrith	5,321	21	192	58	104	88	3	2	33	25	134	
*8. Parramatta	11,551	65	356	288	173	183	6	14	178	110	68	
†9. Ryde	2,886	14	100	49	51	...	2	2	61	29	10	
10. Liverpool	3,493	10	91	258	43	48	1	4	243	15	
11. Campbelltown	1,870	14	69	16	36	33	2	2	11	5	53	
12. Camden	4,032	19	128	44	60	68	2	3	27	17	84	
13. Picton	2,208	11	76	24	46	30	1	1	14	10	52	
TOTAL	447	2,610	1,491	1,308	1,302	42	63	961	530	1,296	
VI.—WEST MIDLAND.												
1. Carcoar	6,411	47	282	68	131	151	6	11	51	17	214	
2. Cowra	1,391	4	76	32	38	38	3	...	22	10	44	
3. Hartley	5,165	24	192	54	97	95	1	2	28	26	138	
4. Bathurst	16,860	172	788	318	398	390	23	15	199	119	470	
5. Sofala	2,821	14	87	24	40	47	4	4	16	8	63	
6. Orange	7,586	70	380	115	182	198	10	2	70	45	265	
7. Wellington	3,354	23	148	54	64	84	4	13	30	24	94	
8. Tambaroora	3,625	{ 1	36	14	23	13	1	1	10	4	22	
Hill End		{ 21	160	72	82	78	1	2	47	25	88	
9. Mudgee	11,901	{ 70	335	161	164	171	5	5	95	66	174	
Gulgong		{ 53	305	163	167	138	17	15	97	66	142	
10. Rylstone	2,133	18	105	23	40	65	1	1	12	11	82	
TOTAL	517	2,894	1,098	1,426	1,468	76	71	677	421	1,796	
VII.—SOUTH EASTERN.												
1. Wollongong	5,699	39	198	62	112	86	3	2	33	29	136	
2. Kiama	5,750	36	205	61	106	99	4	1	36	25	144	
3. Berrima	4,529	15	189	58	91	98	1	1	33	25	131	
4. Shoalhaven	4,724	33	206	54	107	99	3	2	30	24	152	
5. Ulladulla	1,652	8	53	13	27	26	...	1	8	5	40	
6. Broulee	3,729	14	130	30	68	62	1	4	18	12	100	
7. Eden	1,212	8	43	8	14	29	1	1	7	1	35	
8. Bega	2,651	26	151	39	77	74	3	...	23	16	112	
TOTAL	179	1,175	325	602	573	16	12	188	137	850	

* The Government Lunatic Asylum and Hospital is situated in this District.

† The Hospital for the Insane is situated in this district.

‡ The Government Benevolent Asylum is situated in this district.

B—continued.

Districts.	Population, Census 1871.	Mar- riages.	Total.		Births.				Deaths.		Excess of Births over Deaths.	
			Births.	Deaths.	Including Illegitimate Births.		Illegitimate Births.		M.	F.		
					M.	F.	M.	F.				
VIII.—SOUTH MIDLAND.												
1. Braidwood.....	11,422	49	320	118	157	163	2	1	65	53	202	
2. Cooma.....	4,383	35	256	111	126	130	1	2	63	48	145	
3. Bombala.....	2,854	23	135	59	65	70	3	1	34	25	76	
4. Goulburn.....	13,756	116	593	212	281	312	13	13	117	95	381	
5. Albury.....	9,190	86	462	195	241	221	10	1	122	73	267	
6. Gundagai.....	27	213	70	102	111	5	1	52	18	143		
Adelong.....	4,699	17	133	52	66	67	3	3	30	22	81	
7. Tumut.....	3,321	20	114	37	52	62	1	1	18	19	77	
8. Yass.....	6,600	57	301	105	149	152	4	6	66	39	196	
9. Queanbeyan.....	4,675	34	203	48	97	106	4	1	24	24	155	
10. Burrowa.....	22	172	67	78	94	2	2	47	20	105		
Grenfell.....	3,865	15	129	35	69	60	2	1	27	8	94	
11. Young.....	5,924	60	296	143	157	139	10	4	78	65	153	
TOTAL.....		561	3,327	1,252	1,640	1,687	60	37	743	509	2,075	
IX.—SOUTH WESTERN.												
1. Deniliquin.....	2,714	30	102	76	54	48	2	...	44	32	26	
2. Moama.....	901	9	37	15	18	19	...	1	7	8	22	
3. Moulamein.....	557	1	12	3	7	5	3	9	
4. Balranald.....	591	4	32	15	15	17	12	3	17	
5. Bourke.....	1,508	18	79	57	38	41	2	...	43	14	22	
6. Hay.....	3,455	34	133	99	69	64	4	1	63	36	34	
7. Wentworth.....	1,200	29	47	35	23	24	26	9	12	
8. Menindie.....	1,210	26	51	36	25	26	1	1	29	7	15	
9. Wagga Wagga.....	5,903	53	319	135	161	158	9	5	86	49	184	
TOTAL.....		204	812	471	410	402	18	8	310	161	341	
GRAND TOTALS FOR NEW SOUTH WALES.....	503,981	4,605	22,528	10,771	11,380	11,148	494	453	6,245	4,526	11,948	

The deaths in the Districts of Liverpool and Randwick show an excess of 171 over the births, which will reduce the excess of births over deaths to 11,777.

C.

MARRIAGES—1875.

Denomination.	Sydney.			Suburban Districts.			Country Districts.			Total.						
	Mar- riages.	Marks.		Mar- riages.	Marks.		Mar- riages.	Marks.		Mar- riages.	Marks.					
		M.	F.		M.	F.		M.	F.		M.	F.	Total			
Church of England.....	323	16	19	35	150	1	5	6	1,145	163	188	351	1,618	180	212	392
Roman Catholic.....	229	32	51	83	74	4	9	13	650	98	110	208	953	134	170	304
Presbyterian.....	486	53	73	126	38	...	2	2	382	47	54	101	906	100	129	229
Wesleyan.....	65	1	4	5	50	1	1	2	387	31	47	78	502	33	52	85
Primitive Methodist.....	4	1	...	1	14	75	9	5	14	93	10	5	15
Congregationalist.....	62	2	4	6	65	1	...	1	59	2	10	12	186	5	14	19
Baptist.....	21	...	1	1	5	20	1	1	2	46	1	2	3
Unitarian.....	1	1
Hebrew.....	8	1	1	2	1	2	11	1	1	2
German Evangelical.....	10	...	2	2	3	4	17	...	2	2
Christians.....	3	1	4
Protestant Episcopal.....	16	2	...	2	16	2	...	2
Free Christian Church.....	2	2
Registrars' Offices.....	20	...	2	2	25	2	2	4	205	32	38	70	250	34	42	76
TOTAL.....	1,232	106	157	263	426	9	19	28	2,947	385	453	838	4,605	500	629	1,129

D 1.

DEATHS from all causes, of MALES at different ages, registered in NEW SOUTH WALES, from 1st January to 31st December, 1875.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total	
CLASS I.—ORDER 1.																							
1. Small-pox
1a. Chicken-pox
2. Measles	100	116	43	25	19	43	11	6	5	3	2	1	2	1	3	380
3. Scarlatina	12	34	21	18	23	36	7	2	...	1	1	155
3a. Diphtheria	11	12	9	6	10	19	2	...	1	1	1	74
4. Quinsy	1	1	1	3
5. Croup	7	15	14	11	7	9	1	64
6. Whooping-cough	28	13	6	3	1	3	54
7. Typhus (and Infantile Fever.)	12	12	11	5	6	21	14	19	11	14	7	9	3	6	3	2	3	2	2	3	1	1	166
8. Erysipelas	7	1	1	2	3	2	2	3	...	1	4	1	3	5	5	3	1	...	49	
9. Metria
10. Carbuncle	1	...	1
11. Influenza	23	...	1	2	...	1	...	1	1	...	1	...	2	1	2	1	2	1	...	2	37
12. Dysentery	23	27	6	2	1	13	3	1	1	8	3	2	3	4	6	3	7	8	2	5	1	129	
13. Diarrhoea	139	80	15	12	3	11	1	...	2	4	2	4	3	6	5	3	5	5	7	307	
14. Cholera	12	1	1	...	2	1	...	1	1	1	1	1	1	1	1	1	1	1	1	1	23
15. Ague	1	1	1	1	1	1	1	1	1	1	1	1	1	6
16. Remittent Fever	3	3	1	...	1	...	1	2	1	...	3	...	1	1	1	1	1	1	1	1	1	1	17
17. Rheumatism	1	...	4	2	2	2	2	3	4	4	4	4	3	2	1	1	2	39	
18. Pyæmia	1	1	2	2	1	1	1	7	
	379	313	128	85	72	162	46	35	23	33	27	22	22	25	29	17	23	25	15	27	3	1,511	
ORDER 2.																							
1. Syphilis	5	1	2	1	1	...	1	1	1	1	1	1	1	1	12
2. Stricture of the Urethra	1	1	1	1	1	2	1	1	1	1	1	1	6
3. Hydrophobia
4. Glanders
	5	1	2	1	...	1	1	1	1	1	1	1	2	1	1	1	18
ORDER 3.																							
1. Privation	1	1	...	1	...	1	...	2	4	...	4	1	7	...	2	1	1	1	1	1	1	31
2. Want of Breast Milk	16	1	...	1	1	1	1	1	2	1	1	1	1	1	1	16
3. Purpura and Scurvy	1	...	1	1	1	1	1	2	1	1	1	1	1	1	6
4. Alcoholism— a Del. Tremens	2	6	4	2	1	2	3	1	1	1	1	1	1	1	23
b Intemperance	4	7	9	10	5	2	8	2	2	1	1	1	1	1	52
	16	1	1	1	1	1	1	1	1	4	14	12	16	13	14	5	11	5	4	2	8	128	
ORDER 4.																							
1. Thrush	15	1	2	1	18
2. Worms, &c.	1	...	1	1
2a. Hydatid	1	...	1	...	1	...	1	...	1	1	1	1	1	1	1	1	3
	15	1	2	2	...	1	...	1	22
Total Class I.....	415	316	131	85	73	162	48	35	27	38	42	35	39	39	44	23	35	32	20	29	11	1,679	
CLASS II.—ORDER 1.																							
1. Gout	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	3
2. Dropsy	6	3	...	2	2	2	...	1	1	1	1	2	4	6	5	7	5	12	7	4	1	1	71
3. Cancer	1	1	3	7	9	7	15	13	21	15	15	15	15	15	15	107
3a. Tumour	3	4	...	1	3	1	1	1	1	1	1	1	1	14
3b. Polypus
4. Noma	1	1	2	...	1	1	1	1	1	1	1	1	1	1	1	1	1
5. Mortification	1	1	3	1	1	1	1	1	1	1	9
	7	4	...	2	2	3	1	1	2	3	1	9	12	20	13	24	24	35	22	19	1	1	205
ORDER 2.																							
1. Scrofula	6	...	1	...	1	2	...	1	1	...	1	3	1	1	1	1	1	1	1	1	1	1	20
2. Tabes Mesenterica	45	37	10	3	2	97
3. Phthisis	4	7	...	1	1	1	2	20	30	44	50	38	46	40	30	14	17	6	1	3	1	1	356
3a. Hæmoptysis	1	2	1	1	4
4. Hydrocephalus	13	8	...	2	3	1	27
	68	52	11	6	7	4	2	21	31	44	50	39	49	41	31	15	20	7	1	3	2	1	504
Total Class II	75	56	11	8	9	7	3	22	33	47	51	48	61	61	44	39	44	42	23	22	3	709	

D 1—*continued.*

CAUSES OF DEATH.		Under 1 year.																			Total.	
		1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.			
CLASS III.—ORDER 1.																					102	
1. Cephalitis.....	38	31	10	4	2	11	2	1	2	4	2	1	1	1	1	1	1	1	1	1	134	
2. Apoplexy.....	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	86	
3. Paralysis.....	1	...	3	1	4	5	2	3	4	2	3	6	36		
4. Insanity.....	1	...	1	1	1	1	1	1	1	1	1	1	1	40	
5. Chorea.....	1	...	1	1	1	1	1	1	1	1	1	1	1	304	
6. Epilepsy.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	80	
7. Convulsions.....	228	45	19	5	2	3	5	2	4	1	1	5	3	7	5	3	3	1	1	1	40	
8. Brain Disease, &c.	3	1	3	3	2	4	4	7	6	11	6	8	5	6	8	2	1	304	
	271	77	30	9	4	23	8	11	12	23	26	45	37	32	42	29	39	32	19	2	782	
ORDER 2.																					5	
1. Pericarditis.....	1	...	2	1	1	1	1	1	1	1	1	33	
2. Aneurism.....	1	6	2	7	6	12	11	28	16	26	26	24	31	31	19	14	268	
3. Heart Disease, &c.	7	...	1	...	1	6	2	7	6	15	15	31	22	33	32	25	35	34	20	14	306	
ORDER 3.																					13	
1. Laryngitis.....	2	1	2	1	1	2	1	...	2	1	1	1	1	1	1	1	1	13	
2. Bronchitis.....	75	37	15	6	6	10	1	...	1	2	4	6	5	8	11	7	7	22	12	12	249	
3. Pleurisy.....	3	1	1	1	1	...	2	1	1	2	1	2	1	1	1	1	1	1	18	
4. Pneumonia.....	59	21	14	9	5	6	3	9	8	7	12	14	14	16	12	8	15	5	11	7	255	
4a. Congestion of the Lungs, pulmonary.	10	6	2	3	...	2	...	1	...	4	2	1	2	4	3	2	4	...	1	47		
5. Asthma.....	1	1	1	1	1	1	1	2	3	2	1	2	1	2	7	5	1	37		
6. Lung Disease, &c.	1	...	1	1	1	1	1	4	3	5	5	2	4	5	5	1	1	36		
	150	67	35	19	13	21	7	11	12	12	27	29	27	33	32	28	33	42	26	5	655	
ORDER 4.																					35	
1. Gastritis.....	12	10	2	...	1	...	1	1	1	1	1	3	1	1	1	1	1	1	106	
2. Enteritis.....	30	17	4	3	1	7	2	3	5	2	4	1	4	3	1	2	2	1	2	1	19	
3. Peritonitis.....	...	1	...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	
4. Ascites.....	1	...	1	1	1	1	1	1	1	1	1	1	1	12	
5. Ulceration of Intestines	2	1	1	...	1	2	1	2	1	1	1	1	1	1	1	1	13	
6. Hernia.....	3	1	...	1	...	1	...	1	...	1	1	1	2	1	3	2	1	22	
7. Ileus.....	3	1	1	...	1	1	1	1	3	1	1	2	1	1	1	1	1	2	1	1	2	
8. Intussusception.....	1	1	1	1	1	1	1	1	1	1	
9. Stricture of Intestines.....	1	1	1	1	1	1	1	1	1	
10. Fistula.....	1	2	1	1	2	1	1	1	1	1	1	1	1	1	
11. Stomach Disease, &c.	4	1	1	1	2	1	1	1	2	1	1	1	2	1	1	1	19	
12. Pancreas Disease, &c.	1	1	1	
13. Hepatitis.....	...	1	1	1	1	1	1	2	2	4	6	4	1	4	1	1	1	1	29	
14. Jaundice.....	14	1	1	3	3	2	4	10	10	9	13	6	4	12	8	4	5	23	
15. Liver Disease, &c.	3	...	1	...	1	3	3	2	4	10	10	9	13	6	4	12	8	4	5	98		
16. Spleen Disease, &c.	
	72	32	8	4	2	15	7	6	12	12	21	21	19	26	19	24	27	26	11	14	381	
ORDER 5.																					14	
1. Nephritis.....	1	...	1	2	...	1	1	2	1	4	...	1	1	1	1	1	1	1	9	
2. Ischuria.....	1	1	2	1	1	1	3	5	5	4	4	3	3	4	1	1	1	37	
3. Nephria.....	...	1	...	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5	
4. Diabetes.....	1	1	1	1	1	1	1	1	1	1	6	
5. Stone.....	1	2	...	1	1	2	3	6	3	2	1	1	26	
6. Cystitis.....	1	1	1	1	3	1	4	9	5	6	7	1	1	39	
	3	2	1	2	1	3	2	2	3	2	6	7	6	14	7	11	24	17	8	14	1	136
ORDER 6.																					...	
1. Ovarian Dropsy.....	
2. Uterus Disease, &c.	
	
ORDER 7.																					...	
1. Arthritis.....	1	1	1	1	1	1	1	1	1	
1a. Ostitis Periostitis, &c.	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	4	
2. Joint Disease, &c.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6	
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	11	
ORDER 8.																					...	
1. Phlegmon.....	1	1	1	1	1	1	1	1	1	
2. Ulcer.....	1	1	1	1	1	1	1	2	
3. Skin Disease, &c.	1	1	1	1	
	1	1	4	
Total, Class III...	504	178	75	34	21	69	27	38	45	53	94	114	120	144	123	133	149	159	97	87	112,275	

D 1—*continued.*

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.		
		
CLASS IV.—ORDER 1.																								
1. Premature Birth.....	141	141	
2. Cyanosis	5	5	
3. Spina Bifida	3	3	
4. Other Malformations	14	14	
5. Teething	70	52	122	
	233	52	285	
ORDER 2.																								...
1. Paramenia
2. Childbirth. (See Metria)
ORDER 3.																								...
1. Old age	368
ORDER 4.																								...
1. Atrophy and Debility.....	268	25	7	I	I	I	I	304
Total, Class IV.	501	77	7	I	I	I	I	41	45	92	190	957	
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE.																								...
1. Fractures & Contusions	I	7	I7	I8	23	I4	21	32	29	I9	21	I1	I5	9	8	8	3	256	
2. Wounds { a Gunshot	I	4	2	4	...	I	...	I	I	14	
3. b Cuts	2	I	I	...	I	...	I	...	I	I	I	I	I	...	12	
3a. Burns and Scalds	2	3	8	4	2	4	...	I	I	...	I	...	2	I	2	I	I	I	I	2	35	
4. Poison	I	I	I	...	I	3	...	I	3	...	I	2	3	...	2	I	I	I	I	I	I	19	
4a. Bite of Snake or Insect	I	...	I	I	I	...	I	...	I	...	I	I	...	I	I	I	I	I	12	
5. Drowning	2	I	5	3	20	8	I2	9	9	9	10	7	II	6	5	2	5	3	3	8	146		
6. Suffocation	2	I	...	I	I	...	2	I	2	2	I	I	I	13	
7. Otherwise	I	I	
	6	I2	I6	10	6	37	29	38	38	30	35	48	42	37	33	21	21	I5	I3	I5	I3	515		
ORDER 2.—VIOLENT DEATHS IN BATTLE.																								...
1. Gunshot Wounds	
2. Sword and Bayonet Wounds.	
3. Otherwise	
ORDER 3.—HOMICIDE.																								...
Murder and Manslaughter	2	I	2	I	...	2	...	2	10	
ORDER 4.—SUICIDE.																								...
1. Wounds { Gunshot	2	...	I	I	I	...	I	I	5	
2. Cut, Stab, &c	I	I	...	I	...	I	4	2	...	I	2	...	I	I	12	
3. Poison	2	3	I	7		
4. Drowning	2	...	2	3	3	3	I	6		
5. Hanging	3	I	...	I	II	
	I	3	3	9	I	9	7	2	5	I	I	I	43		
ORDER 5.—EXECUTION.																								...
1. Hanging	I	I	I	2	
Violent Deaths (not classed).	I	...	2	...	2	...	2	I	6	
Total, Class V	8	I2	I6	10	6	37	29	40	39	33	41	57	45	48	42	24	28	16	16	16	13	576		
Sudden Deaths (cause unascertained).	
Causes not specified or ill-defined.	I	3	4	...	I	I	...	I	2	6	6	7	5	3	3	...	I	5	49		
Total from all Causes	1,503	639	240	I39	II3	280	I07	I36	I45	I71	229	256	271	298	260	225	300	297	248	345	43	6,245		

D 2.

DEATHS from all causes, of FEMALES, at different ages, registered in NEW SOUTH WALES, from 1st January to 31st December, 1875.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS I.—ORDER 1.																							
1. Small-pox
1a. Chicken-pox
2. Measles	62	118	49	21	19	40	10	9	7	17	11	2	3	372	
3. Scarlatina	11	18	33	24	10	30	9	2	4	4	...	2	147	
3a. Diphtheria	7	16	10	10	10	24	6	5	1	1	91	
4. Quinsy	1	1	1	...	1	4	
5. Croup	11	14	11	9	6	12	63
6. Whooping-cough	23	13	6	2	2	3	...	1	50
7. Typhus (and Infantile Fever)	6	8	7	5	8	20	8	15	14	12	6	8	2	5	1	2	4	...	1	132	
8. Erysipelas	10	2	...	1	2	1	1	4	1	2	4	4	4	2	3	37	
9. Metria	4	11	16	8	5	3	47	
10. Carbuncle
11. Influenza	11	...	1	2	...	1	...	1	1	1	1	1	1	1	20
12. Dysentery	25	21	3	4	3	12	2	2	...	2	...	1	...	1	2	3	3	3	3	3	3	85	
13. Diarrhoea	109	87	27	11	3	7	...	3	4	...	4	2	2	1	4	7	3	3	3	3	3	289	
14. Cholera	15	6	3	...	1	...	2	27
15. Ague
16. Remittent Fever	2	3	3	1	1	3	...	1	...	1	1	2	4	1	1	1	1	1	1	1	1	14	
17. Rheumatism	1	1	...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	19	
18. Pyæmia	1	1	2	...	3	1	3	1	...	1	13	
	293	304	153	89	65	156	39	46	44	56	35	32	12	10	6	13	20	7	10	19	1	1,410	
ORDER 2.																							
1. Syphilis	5	2	7
2. Stricture of the Urethra
3. Hydrocephobia
4. Glanders
	5	2	7
ORDER 3.																							
1. Pravation	18	1	1	2
2. Want of Breast Milk	18	1	19
3. Purpura and Scurvy	3	1	1	1	1	1	1	1	1	1	7
4. Alcoholism:—																							
a Del. Tremens	1	1	2	1	1	1	1	2	2	3	1	1	1	2	
b Intemperance	1	1	2	1	1	1	1	2	3	1	1	1	1	21	
	21	2	1	2	3	1	9	3	1	3	3	1	1	1	1	51	
ORDER 4.																							
1. Thrush	13	2	2	17
2. Worms, &c.	1	1	1	3
2a. Hydatid	1	1
	14	3	2	...	1	1	21
Total, Class I.....	333	309	155	89	66	156	39	46	46	58	38	33	21	13	9	16	23	8	11	19	1	1,489	
CLASS II.—ORDER 1.																							
1. Gout	1	1	2
2. Drosopy	3	1	2	...	2	4	2	...	2	4	2	3	6	4	4	6	4	4	46	
3. Cancer	1	1	3	2	2	10	11	12	14	9	6	2	1	1	1	1	74
3a. Tumour	1	1	1	1	1	1	1	1	1	1	2	3	1	1	1	1	14	
3b. Polypus
4. Noma	2	2	1	5
5. Mortification	1	1	1	1	1	1	1	3
	4	2	1	...	3	3	1	3	6	6	3	5	15	13	15	23	18	10	9	3	1	144	
ORDER 2.																							
1. Scrofula	1	4	...	1	1	1	...	1	1	...	1	1	...	1	1	13
2. Tabes Mesenterica	39	42	3	2	1	2	89
3. Phthisis	4	2	3	1	...	5	3	21	34	27	40	37	23	20	13	11	6	2	1	1	1	1	254
3a. Haemoptysis
4. Hydrocephalus	14	10	...	1	25
	58	58	6	5	2	8	3	22	35	27	40	38	24	20	14	11	6	2	1	1	381
Total, Class II.....	62	60	7	5	5	11	4	25	41	33	43	43	39	33	29	34	24	12	10	4	1	525	

D 2—continued.

CAUSES OF DEATH.		Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS III.—ORDER 1.																								
1. Cephalitis.....	28	25	8	2	6	4	I	3	2	...	4	7	4	I	6	9	9	7	5	9	5	9	79	
2. Apoplex.....	I	...	2	4	2	4	7	4	I	6	9	8	4	2	5	9	...	89	
3. Paralysis.....	I	I	I	I	2	3	2	6	6	5	8	4	2	5	...	40	
4. Insanity.....	I	2	I	1	12	
5. Chorea.....	I	2	I	4	
6. Epilepsy.....	35	
7. Convulsions.....	157	48	14	8	4	5	236	
8. Brain Disease, &c.	I	...	2	...	4	I	I	4	I	4	2	5	...	4	I	3	3	2	I	39	
	187	73	24	10	10	15	5	16	12	9	18	17	14	17	20	16	23	14	10	15	525	
ORDER 2.																								
1. Pericarditis.....	I	...	I	3	I	I	I	...	2	10	
2. Aneurism.....	1	2	I	...	I	2	I	...	I	I	9	
3. Heart Disease, &c.	2	...	2	...	I	5	9	11	6	9	9	11	9	22	12	16	15	II	8	I3	I71	
	2	...	2	...	2	5	10	14	7	10	II	I3	10	23	16	16	15	12	8	I3	I	...	190	
ORDER 3.																								
1. Laryngitis.....	I	I	2	...	I	...	I	5
2. Bronchitis.....	66	39	10	5	I	6	3	...	I	3	...	2	3	5	2	5	I	9	5	9	185	
3. Pleurisy.....	I	...	I	...	I	I	...	3	...	4	...	2	I	1	...	I	16	
4. Pneumonia.....	33	32	12	4	I	10	3	5	6	6	I	9	7	4	4	6	3	6	4	I	I	I	I58	
4a Congestion of the Lungs, pulmonary.....	II	8	...	3	I	2	I	2	...	I	I	I	2	I	...	33	
5. Asthma.....	I	I	2	I	I	I	2	...	5	3	...	I7	...	
6. Lung Disease, &c.	3	I	...	I	...	3	...	I	2	I	...	I	I	3	I	I	I	I	I	I	I	...	22	
	114	81	24	13	3	24	6	7	12	II	I	I5	I3	14	I2	I5	I9	I8	I7	I6	I	...	436	
ORDER 4.																								
1. Gastritis.....	II	5	4	I	2	...	I	I	3	I	3	I	I	I	2	2	2	2	...	2	...	41
2. Enteritis.....	35	I7	8	3	4	9	2	I	2	5	4	3	...	2	3	2	3	2	7	2	I	...	I12	
3. Peritonitis.....	I	3	...	I	...	I	2	5	8	6	5	4	...	2	...	I	38		
4. Ascites.....	I	2	I	...	I	5		
5. Ulceration of Intestines.....	2	I	...	I	4	
6. Hernia.....	I	...	I	2	2	I	I	I	I	...	8		
7. Ileus.....	2	I	I	I	2	I	...	I	I	I	...	I	I11	
8. Intussusception.....	I	2	
9. Stricture of Intestines.....	I	
10. Fistula.....	
11. Stomach Disease, &c.	2	I	I	3	I	I	2	I	I	I	...	I3	
12. Pancreas Disease, &c.	
13. Hepatitis.....	3	...	I	...	I	...	I	...	I	I	3	I	7	3	3	2	5	2	4	37		
14. Jaundice.....	I	...	2	...	I	...	I	...	I	2	6	8	6	6	6	5	I	2	I	6		
15. Liver Disease, &c.	2	2	I	...	I	...	I	...	I	2	6	8	6	6	6	5	I	2	I	56		
16. Spleen Disease, &c.	
	57	24	16	4	7	15	3	4	9	I4	24	26	28	18	I4	20	16	I7	I2	6	334	
ORDER 5.																								
1. Nephritis.....	...	I	...	2	3	...	I	I	...	I	I	10	
2. Ischuria.....	2	I	...	I	...	I	3	I	2	...	I	I	2	2	I7	
3. Nephria.....	4	
4. Diabetes.....	I	
5. Stone.....	I	
6. Cystitis.....	I	I	I	
7. Kidney Disease, &c.	2	I	5	
	...	3	...	4	2	...	I	3	I	3	3	2	3	I	2	3	2	2	I	I	I	...	38	
ORDER 6.																								
1. Ovarian Dropsy.....	I	3	I	3	2	4	2	I	...	I	2	
2. Uterus Disease, &c.	I	3	I	3	4	2	5	2	...	I	...	I	21	
	I	3	I	3	4	2	5	2	...	I	...	I	23	
ORDER 7.																								
1. Arthritis.....	2	3	
1a. Ostitis Periostitis, &c.	2	I	I	...	I	4	
2. Joint Disease, &c.	2	I	I	I	I	8	
	
ORDER 8.																								
1. Phlegmon.....	I	
2. Ulcer.....	I	I	I	3	
3. Skin Disease, &c.	2	I	I	3	
	2	I	I	7	
Total, Class III	362	182	66	31	24	61	27	47	43	50	61	75	75	75	64	72	78	66	48	51	3	1,561		

CAUSES OF DEATH.		Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS IV—ORDER 1.																								91
1. Premature Birth.....	91	3
2. Cyanosis	1	I	1
3. Spina Bifida.....	1	6
4. Other Malformations	6	118
5. Teething	64	54	219
ORDER 2.																								4
1. Parmenia	I	102
2. Childbirth (see Metria)	I	106
ORDER 3.																								166
1. Old Age	166
ORDER 4.																								296
1. Atrophy and Debility...	255	40	I
Total, Class IV	418	95	I	I	4	20	13	28	28	9	2	2	...	17	16	38	94	I	787	
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE.																								27
1. Fractures & Contusions	I	2	2	I	I	2	2	3	I	I	2	3	I	2	...	3
2. Wounds { a. Gunshot...	I
b. Cuts
3. Burns and Scalds	5	I	6	2	4	6	2	5	2	2	2	I	I	...	I	I	I	I	I	I	I	I	I	44
3a. Sunstroke	I	I	I	I	I	I	I	I	I	9
4. Poison	I	2	I	I	10
4a. Bite of Snake or Insect	I	I	2
5. Drowning	4	4	I	...	7	2	I	3	2	...	I	I	I	...	I	I	I	I	I	I	I	I	I	31
6. Suffocation	6	I	8
7. Otherwise	I	I
	I5	10	14	5	6	16	8	11	6	5	3	3	3	I	6	7	4	6	...	4	133	
ORDER 2.—VIOLENT DEATHS IN BATTLE.																								...
1. Gunshot Wounds
2. Sword and Bayonet Wounds
3. Otherwise.....
ORDER 3.—HOMICIDE. Murder and Manslaughter		2	I	2	I	6
ORDER 4.—SUICIDE.																								...
1. Wounds { a. Gunshot	I	I	3
b. Cut, Stab, &c.	I	I	I	2
2. Poison	I	I	I	3
3. Drowning	I	2	3
4. Hanging	I	1
5. Otherwise
	3	3	I	I	I	9
ORDER 5.—EXECUTION.																								...
1. Hanging
Violent Deaths (not classed)	2	2
Total, Class V	17	10	14	5	6	16	9	11	9	10	4	3	3	I	6	9	6	6	I	4	150	
Sudden Deaths (cause unascertained)
Causes not specified or ill-defined	I	4	I	I	3	I	I	...	I	I	14
Total from all Causes	1,192	656	243	131	102	248	80	134	159	164	174	182	150	125	111	131	149	108	108	172	7	4,526		

D 3.

DEATHS from all causes, of BOTH SEXES, at different ages, registered in NEW SOUTH WALES, from 1st January to 31st December, 1875.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS I.—ORDER 1.																							
1. Small-pox
1a. Chicken-pox
2. Measles	162	234	92	46	38	83	21	15	12	20	13	3	5	1	4	752	
3. Scarlatina	23	52	54	42	33	66	16	4	4	5	...	2	...	1	2	302	
3a. Diphtheria	18	28	19	16	20	43	8	5	1	...	1	...	1	2	1	165	
4. Quinsy	1	1	1	1	...	1	...	1	...	1	7	
5. Croup	18	29	25	20	13	21	1	127	
6. Whooping-cough	51	26	12	5	3	6	...	1	104	
7. Typhus (and Infantile Fever)	18	20	18	10	14	41	22	34	25	26	13	17	5	11	4	4	7	2	2	4	1	298	
8. Erysipelas	17	1	3	2	4	4	3	4	4	2	6	1	7	9	5	5	8	1	86	
9. Metria	4	11	16	8	5	3	47	
10. Carbuncle	1	
11. Influenza	34	...	2	4	...	1	1	1	...	1	...	1	...	1	...	2	1	3	...	2	3	1	57
12. Dysentery	48	48	9	6	4	25	5	3	1	10	3	3	3	4	7	5	10	8	3	8	1	214	
13. Diarrhoea	248	167	42	23	6	18	1	3	4	2	8	4	6	5	7	9	10	8	8	17	...	590	
14. Cholera	27	7	4	...	1	2	2	...	1	...	1	1	1	1	1	1	1	1	1	1	1	50	
15. Ague	1	1	1	1	1	1	1	1	1	1	1	6	
16. Remittent Fever	5	6	4	1	2	3	1	3	1	...	3	...	1	1	1	1	1	1	1	1	1	31	
17. Rheumatism	1	1	5	3	2	3	3	4	7	4	5	5	4	3	4	2	2	...	58	
18. Pyæmia	2	1	2	...	3	2	5	3	...	1	1	20	
	672	617	281	174	137	318	85	81	67	89	62	54	34	35	35	30	43	32	25	46	4	2921	
ORDER 2.																							
1. Syphilis	10	1	2	1	1	2	1	1	10	
2. Stricture of the Urethra	1	1	1	1	2	1	6	
3. Hydrophobia	
4. Glanders	
	10	1	2	1	...	1	1	1	3	1	1	2	1	25	
ORDER 3.																							
1. Privation	...	1	1	...	1	2	4	...	4	2	8	2	1	7	33	
2. Want of Breast Milk	34	1	1	...	1	1	1	1	1	2	1	35	
3. Purpura and Scurvy	3	1	1	...	1	1	1	1	1	2	1	13	
4. Alcoholism—	1	3	6	4	3	1	2	3	1	1	1	1	1	25	
a. Del. Tremens	1	1	6	8	17	12	5	4	11	2	3	2	1	73	
b. Intemperance	1	1	3	6	8	17	12	5	4	11	2	3	2	1	
	37	3	1	...	1	2	6	17	13	25	16	15	8	14	6	5	2	8	179	
ORDER 4.																							
1. Thrush	28	3	4	...	1	35
2. Worms, &c.	1	1	1	...	1	...	2	...	1	4
2a. Hydatid	1	4
	29	4	4	...	1	...	2	...	2	...	1	43
Total Class I	748	625	286	174	139	318	87	81	73	96	80	68	60	52	53	39	58	40	31	48	12	3168	
CLASS II.—ORDER 1.																							
1. Gout	5
2. Dropsy	9	3	...	2	3	4	...	2	5	3	1	4	8	8	8	13	9	16	13	4	2	117	
3. Cancer	1	1	2	1	1	1	1	1	17	20	19	29	22	27	17	16	...	181	
3a. Tumour	1	2	1	1	1	1	4	1	4	3	6	1	...	1	28	
3b. Polypus	6
4. Noma	3	2	1	2	...	1	12
5. Mortification	1	2	...	1	12
	11	6	1	2	5	6	2	4	8	9	4	14	27	33	28	47	42	45	31	22	2	349	
ORDER 2.																							
1. Scrofula	7	4	1	1	2	3	...	2	2	2	4	1	2	...	1	1	33
2. Tabes Mesenterica	84	79	13	5	3	2	186
3. Phthisis	8	9	3	2	1	6	5	41	64	71	90	75	69	60	43	25	23	8	2	4	1	...	610
3a. Hæmoptysis	4
4. Hydrocephalus	27	18	...	3	3	1	52
	126	110	17	11	9	12	5	43	66	71	90	77	73	61	45	26	26	9	2	4	2	...	885
Total Class II	137	116	18	13	14	18	7	47	74	80	94	91	100	94	73	73	68	54	33	26	4	1234	

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.	
CLASS III.—ORDER 1.																							181
1. Cephalitis.....	66	56	18	6	8	15	3	3	4	10	19	17	26	18	28	23	22	15	15	15	15	214	
2. Apoplexy.....	I	I	2	5	3	11	12	16	14	16	15	15	I	I	I	I	126
3. Paralysis.....	1	4	2	6	3	5	5	3	3	6	2	48	
4. Insanity.....	2	5	3	11	12	16	14	16	15	15	I	I	I	I	4
5. Chorea.....	I	2	1	75
6. Epilepsy.....	I	4	5	11	1	5	12	7	8	8	5	3	3	I	I	75
7. Convulsions.....	385	93	33	13	6	10	8	5	11	8	16	6	12	6	9	11	4	2	540
8. Brain Disease, &c.	4	I	2	...	7	4	3	8	5	11	8	16	6	12	6	9	11	4	2	119	
	458	150	54	19	14	38	13	27	23	21	41	43	59	54	52	58	52	53	42	34	2	1307	
ORDER 2.																							I5
1. Pericarditis.....	I	...	I	3	I	I	...	3	2	I	2	15
2. Aneurism.....	3	6	2	5	7	8	I	4	4	I	...	I	...	42	
3. Heart Disease, &c.	9	...	3	...	2	II	II	18	12	21	20	39	25	48	38	40	46	42	27	27	...	439	
	9	...	3	...	3	II	I2	21	I3	25	26	44	32	56	48	41	50	46	28	27	I	496	
ORDER 3.																							18
1. Laryngitis.....	3	2	4	I	I	3	I	...	2	...	I	18
2. Bronchitis.....	I41	76	25	II	7	16	4	...	I	5	4	8	8	13	12	18	31	17	21	3	2	3	434
3. Pleurisy.....	3	I	I	I	I	I	3	2	...	5	...	4	2	4	I	I	2	34	
4. Pneumonia.....	92	53	26	I3	6	16	6	14	14	I3	I3	23	21	20	16	14	18	II	15	8	I	I	413
4a. Congestion of the Lungs, Pulmonary.	21	I4	2	6	I	4	...	I	I	...	4	2	I	2	6	3	3	5	2	I	I	I	80
5. Asthma.....	I	I	2	I	...	2	2	3	2	3	3	2	3	9	5	6	9	54	
6. Lung Disease, &c.	3	I	I	I	I	3	I	2	3	I	4	4	6	5	5	5	2	6	I	I	...	58	
	264	148	59	32	16	45	I3	18	24	23	28	44	40	47	44	43	52	60	43	42	6	1091	
ORDER 4.																							76
1. Gastritis.....	23	I5	6	I	2	I	I	I	3	...	2	4	2	4	2	3	3	3	...	2	I	...	218
2. Enteritis.....	65	34	12	6	5	I6	4	4	7	7	8	4	4	5	2	10	5	I2	4	3	I	...	57
3. Peritonitis.....	...	I	...	I	I	3	...	I	3	...	I	2	I	2	16
4. Ascites.....	I	...	2	I	4	I	2	I	1	7
5. Ulceration of Intestines	2	I	I	...	I	2	I	4	I	2	4	2	3	3
6. Hernia.....	3	I	...	I	...	I	...	I	2	4	2	3	3	3	...	21	
7. Ileus.....	5	I	I	I	...	I	3	2	2	3	3	I	3	I	4	I	33
8. Intussusception.....	2	4
9. Stricture of Intestines.....	2
10. Fistula.....
11. Stomach Disease, &c.	6	I	I	2	I	2	4	2	2	2	3	3	3	3	2	32
12. Pancreas Disease, &c.
13. Hepatitis.....	3	I	I	I	...	I	I	2	4	3	9	7	9	6	6	6	5	I	66
14. Jaundice.....	I5	...	2	...	2	1	2	...	1	2	3	I	2	3	I	29
15. Liver Disease, &c.	5	2	2	...	I	4	3	...	3	6	16	18	I5	I9	I2	10	I7	9	6	6	I54
16. Spleen Disease, &c.
	129	56	24	8	9	30	10	10	21	26	45	47	47	44	33	44	43	43	23	20	3	715	
ORDER 5.																							24
1. Nephritis.....	I	I	I	4	...	I	...	4	2	2	I	4	I	I	I	9
2. Ischuria.....	I	2	2	2	2	...	I	I	6	6	7	4	5	4	5	6	54
3. Nephria.....	I	...	I	2	...	I	...	2	I	...	I	9
4. Diabetes.....	I	...	I	I	2	I	...	I	...	7
5. Stone.....	I	...	I	I	2	I	...	I	...	27
6. Cystitis.....	I	I	2	...	I	...	2	3	6	3	2	6	44
7. Kidney Disease, &c.	3	I	I	I	3	I	5	9	5	7	2	
	3	5	I	6	3	3	5	4	5	9	9	9	I5	9	14	26	19	9	15	2	174		
ORDER 6.																							2
1. Ovarian Dropsy.....	I	3	I	3	3	2	4	2	I	21
2. Uterus Disease, &c.	I	3	I	I	23
	I	3	I	3	4	2	5	2	...	I	...	I
ORDER 7.																							4
1. Anthritis.....	2	I	I	5
1a. Ostitis Periostitis, &c.	3	I	I	I	2	I	10
2. Joint Disease, &c.	3	I	I	2	...	3	I	...	4	I	2	19

ORDER 8.																							2
1. Phlegmon.....	I	...	I	I	...	I	5
2. Ulcer.....	I	...	I	I	...	2	I	4
3. Skin Disease, &c.	3	I	I	...	I</									

D 3—continued.

CAUSES OF DEATH.	Under 1 year.												1 to 2 years.												2 to 3 years.												3 to 4 years.												4 to 5 years.												5 to 10 years.												10 to 15 years.												15 to 20 years.												20 to 25 years.												25 to 30 years.												30 to 35 years.												35 to 40 years.												40 to 45 years.												45 to 50 years.												50 to 55 years.												55 to 60 years.												60 to 65 years.												65 to 70 years.												70 to 75 years.												75 years and upwards.												Ages not specified.												Total.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	1			2			3			4			5			6			7			8			9			10			11			12			13			14			15			16			17			18			19			20			21			22			23			24			25			26			27			28			29			30			31			32			33			34			35			36			37			38			39			40			41			42			43			44			45			46			47			48			49			50			51			52			53			54			55			56			57			58			59			60			61			62			63			64			65			66			67			68			69			70			71			72			73			74			75			76			77			78			79			80			81			82			83			84			85			86			87			88			89			90			91			92			93			94			95			96			97			98			99			100			101			102			103			104			105			106			107			108			109			110			111			112			113			114			115			116			117			118			119			120			121			122			123			124			125			126			127			128			129			130			131			132			133			134			135			136			137			138			139			140			141			142			143			144			145			146			147			148			149			150			151			152			153			154			155			156			157			158			159			160			161			162			163			164			165			166			167			168			169			170			171			172			173			174			175			176			177			178			179			180			181			182			183			184			185			186			187			188			189			190			191			192			193			194			195			196			197			198			199			200			201			202			203			204			205			206			207			208			209			210			211			212			213			214			215			216			217			218			219			220			221			222			223			224			225			226			227			228			229			230			231			232			233			234			235			236			237			238			239			240			241			242			243			244			245			246			247			248			249			250			251			252			253			254			255			256			257			258			259			260			261			262			263			264			265			266			267			268			269			270			271			272			273			274			275			276			277			278			279			280			281			282			283			284			285			286			287			288			289			290			291			292			293			294			295			296			297			298			299			300			301			302			303			304			305			306			307			308			309			310			311			312			313			314			315			316			317			318			319			320			321			322			323			324			325			326			327			328			329			330			331			332			333			334			335			336			337			338			339			340			341			342			343			344			345			346			347			348			349			350			351			352			353			354			355			356			357			358			359			360			361			362			363			364			365			366			367			368			369			370			371			372			373			374			375			376			377			378			379			380			381			382			383			384			385			386			387			388			389			390			391			392</		

E 1.

DEATHS from all causes, of MALES, at different ages, registered in SYDNEY, from 1st January to 31st December, 1875.

CAUSES OF DEATH.	Under 1 year.																			Total.	
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Age not specified.	
CLASS I.—ORDER 1.																					
1. Small-pox
1a. Chicken-pox
2. Measles	16	43	8	11	1	6	1	5	1	87	
3. Scarletina	3	14	7	6	12	10	2	2	5	58	
3a. Diphtheria	5	3	1	2	2	2	2	2	2	16	
4. Quinsy	1	2	
5. Croup	2	...	3	2	3	5	10	
6. Whooping-cough	
7. Typhus (and Infantile Fever.)	2	1	2	2	1	5	8	5	5	1	1	42	
8. Erysipelas	I	9	
9. Metria	
10. Carbuncle	
11. Influenza	2	4	
12. Dysentery	2	1	1	...	1	...	5	3	1	1	1	1	1	1	1	18	
13. Diarrhoea	32	32	6	5	...	2	1	...	1	1	1	1	1	1	1	1	1	94	
14. Cholera	5	1	2	1	...	1	1	1	1	1	1	1	1	1	12	
15. Ague	1	...	1	1	1	1	1	1	1	1	1	6	
16. Remittent Fever	2	1	...	1	2	2	3	
17. Rheumatism	8	
18. Pyæmia	
	67	100	25	29	18	30	15	6	8	13	8	5	6	7	10	2	5	4	5	6	369
ORDER 2.																					
1. Syphilis	I	I	I	I	4	
2. Stricture of Urethra	I	I	3	
3. Hydrophobia	
4. Glanders	
	I	I	I	I	...	I	I	...	I	7	
ORDER 3.																					
1. Privation	
2. Want of Breast Milk	13	13	
3. Pupura and Scurvy	I	
4. Alcholism—																					
a Del. Tremens	2	5	4	1	1	2	1	1	1	16	
b Intemperance	2	3	...	3	...	1	1	1	10	
	13	2	5	6	5	1	3	...	4	...	1	1	40	
ORDER 4.																					
1. Thrush	I	I	2	
2. Worms, &c.	
2a. Hydatid	
	I	I	2	
Total Class I.....	82	102	25	29	18	30	15	6	9	16	13	12	12	8	14	2	9	4	5	7	418
CLASS II.—ORDER 1.																					
1. Gout	I	I	I	I	2	
2. Dropsey	I	I	I	I	I	I	2	...	I	I	I	11	
3. Cancer	I	2	4	4	I	3	I	I	I	I	18	
3a. Tumour	
3b. Polypus	
4. Noma	I	1	
5. Mortification	I	I	2	
	...	I	I	I	...	I	I	I	I	2	5	6	2	5	2	2	I	2	34
ORDER 2.																					
1. Scrofula	3	...	I	2	I	5	
2. Tabes Mesenterica	10	12	3	7	10	12	17	15	17	7	7	4	I	...	27
3. Phthisis	I	2	...	I	108	
3a. Haemoptysis	
4. Hydrocephalus	4	I	...	I	...	I	7	
	18	15	4	2	2	I	...	7	10	12	17	15	17	8	7	7	4	I	...	147	
Total Class II.....	18	16	4	2	3	2	...	8	11	13	18	17	22	14	9	12	6	3	I	2	181

E 1—continued.

CAUSES OF DEATH.	Under 1 year.	Age.																		Total.	
		1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.
CLASS III.—ORDER 1.																					
1. Cephalitis	10	6	4	4	2	6	...	I	I	I	2	I	6	7	6	I	4	6	3	2	33
2. Apoplexy	41
3. Paralysis	10
4. Insanity
5. Chorea
6. Epilepsy	I	3
7. Convulsions	35	I3	5	2	...	2	...	I	2	4	...	3	4	I	I	2	4	57
8. Brain Disease, &c.	I	I	2	26
	47	I9	9	6	2	9	2	I	3	3	6	2	9	I3	8	7	6	I3	3	2	I70
ORDER 2.																					
1. Pericarditis	I	I	...	I	I	I	I	I
2. Aneurism	3	I	7	3	10	5	3	6	4	4	6	2	6
3. Heart Disease, &c.	I	I	I	3	I	7	3	10	5	3	6	4	4	6	2	57
	I	I	I	3	I	8	4	I0	6	4	7	4	5	7	2	64
ORDER 3.																					
1. Laryngitis	I	...	I	I	3	I	2	3	3	4	5	4
2. Bronchitis	I3	9	3	...	I	3	I	3	I	2	3	3	4	5	55
3. Pleurisy	2	...	I	I	...	I	I	7
4. Pneumonia	I3	7	5	2	2	2	...	4	2	2	I	3	6	2	3	I	2	I	I	...	59
4a. Congestion of the Lungs pulmonary.	...	I	2	...	I	I	6
5. Asthma	I	I	I	...	I	I	I	I	I	2	I	8
6. Lung Disease, &c.	I	I	I	...	I	...	I	I	I	I	I	6
	28	I8	9	3	4	7	...	6	2	3	4	9	7	6	8	7	8	9	3	4	I45
ORDER 4.																					
1. Gastritis	7	I0	I	I	I	20
2. Enteritis	5	4	...	I	...	2	I	...	2	...	I	I	...	2	I8
3. Peritonitis	I	I	2	I	8
4. Ascites	I	I	I
5. Ulceration of Intestines	I	I	I	3
6. Hernia	I	I	I	2
7. Ileus	I	I	I	3
8. Intussusception	I	I	2
9. Stricture of Intestines	I
10. Fistula
11. Stomach Disease, &c.	I	I	I	...	I	...	4
12. Pancreas Disease, &c.	I
13. Hepatitis	I	I	I	2	2	I	...	I	...	9
14. Jaundice	3	I	...	I	...	2	6	4	5	I	4	I	2	I	...	4
15. Liver Disease, &c.	I	I	...	I	29
16. Spleen Disease, &c.
	I7	I5	2	I	...	4	I	2	3	2	7	7	7	9	7	5	6	4	3	2	I04
ORDER 5.																					
1. Nephritis	I	2	...	I	4
2. Ischuria	I	2	I	2	3	5	4	2	I	...	I
3. Nephria	I	I	22
4. Diabetes	I	I	2
5. Stone	I	I	3
6. Cystitis	I	...	I	...	I	...	I	2	I	...	I	7
7. Kidney Disease, &c.	I	I	...	I	...	I	3	3	10
	...	I	...	I	I	2	2	I	3	4	6	9	2	4	6	5	...	I	48
ORDER 7.																					
1. Arthritis
1a. Ostitis Pereostitis, &c.	I	I
2. Joint Disease, &c.	I	I
	I	I
ORDER 8.																					
1. Phlegmon	I	I
2. Ulcer	I
3. Skin Disease	I	I
	I	I
Total, Class III.....	93	53	20	11	8	23	6	12	9	17	24	32	35	41	33	27	31	38	11	9	533

CAUSES OF DEATH,	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS IV—ORDER I.																							33
1. Premature Birth.....	33	3
2. Cyanosis	3
3. Spina Bifida.....
4. Other Malformations	3	3
5. Teething	12	8	20
	51	8	59
ORDER 3.																							
1. Old Age	3	6	12	...	21
ORDER 4.																							
1. Atrophy and Debility...	68	9	3	80
Total, Class IV.....	119	17	3	3	6	12	...	160
CLASS V—ORDER I.—ACCIDENT OR NEGLIGENCE.																							
1. Fractures & Contusions	I	4	3	I	5	2	2	4	...	2	2	I	I	2	30
2. Wounds { a Gunshot...	I	I	I	I	I	I	I	I	5
3. Burns and Scalds	2	...	I	I	I	5
3a. Sunstroke
4. Poison	I	I	I	I	I	4
4a. Bite of Snake or Insect	1
5. Drowning.....	2	...	I	I	2	I	I	I	...	I	9
6. Suffocation	I	I	2
7. Otherwise
	...	3	2	I	2	3	5	4	4	4	7	3	4	8	...	4	2	I	I	2	...	56	
ORDER 2.—VIOLENT DEATHS IN BATTLE.																							
1. Gunshot Wounds
2. Sword and Bayonet Wounds.
3. Otherwise.....

ORDER 3—HOMICIDE.																							
Murder and Manslaughter	I	I	I	I	4
ORDER 4—SUICIDE.																							
1. Wounds { Gunshot	I	1
2. Cut, Stab, &c.	I	I	I	I	...	I	4
2. Poison	I	I	I	...	I	4
3. Drowning.....	I	1
4. Hanging	I	...	I	I	...	I	...	I	3
5. Otherwise	I
	I	I	2	2	I	3	I	2	I	14	
ORDER 5—EXECUTION.																							
1. Hanging	I	I
Violent Deaths (not classed) Found drowned, &c.	I	2	...	2	I	6
Total, Class V	I	...	3	2	I	2	3	6	5	5	12	5	7	12	2	7	3	I	2	2	...	81	
Sudden Deaths—(Cause unascertained).
Causes not specified or ill-defined.	2	I	...	2	I	I	3	2	I	13	
	313	188	55	44	32	57	24	32	34	51	68	66	78	76	59	51	51	49	25	32	I	1386	

E 2.

DEATHS from all causes of FEMALES at different ages, registered in SYDNEY, from 1st January to 31st December, 1875.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS I—ORDER 1.																							
1. Small-pox
1a. Chicken-pox
2. Measles	7	40	8	4	6	9	1	75	75
3. Scarlatina	5	4	13	8	4	9	2	1	1	47	47
3a. Diphtheria	2	5	5	1	4	3	20	20
4. Quinsy	1	2
5. Croup	3	4	1	4	...	5	17
6. Whooping-cough
7. Typhus (and Infantile Fever)	2	1	2	1	1	6	2	3	3	3	3	3	2	2	2	2	2	2	2	2	2	2	33
8. Erysipelas	3	1	...	1	1	1	2	...	2	...	1	1	...	2	2	17	
9. Metria	1	4	10	1	2	18	
10. Carbuncle
11. Influenza	1	1	1	...	2	2
12. Dysentery	...	2	1	1	2	1	1	1	1	1	1	1	1	11
13. Diarrhoea	30	39	15	5	...	2	...	2	4	...	1	1	...	1	2	4	1	1	6	...	114	8	
14. Cholera	4	2	1
15. Ague
16. Remittent Fever	...	2	1	3
17. Rheumatism	1	...	1	3	...	1	6
18. Pyæmia	1	1	1	2	1	6
	57	99	46	23	15	37	9	11	14	13	5	13	1	4	3	6	8	1	5	9	...	379	
ORDER 2.																							
1. Syphilis	3	2	5
2. Stricture of the Uretha
3. Hydrocephobia
4. Glanders
	3	2	5
ORDER 3.																							
1. Privation
2. Want of Breast Milk	15	1	16
3. Purpura and Scurvy	1	1	1	1	1	1	1
4. Alcoholism— a. Del. Tremens	1	1	1	3	1	...	2	...	1	1	1	1	10
b. Intemperance	1	1	1	3	1	...	2	...	1	1	1	1	28
	15	1	1	2	...	1	3	1	...	2	1	1	1	1	28
ORDER 4.																							
1. Thrush	4	...	1	5
2. Worms, &c.	...	1	...	1	2
2a. Hydatid
	4	1	1	1	1	7
Total Class I	79	101	47	23	16	37	9	11	15	15	5	14	4	5	5	6	10	2	6	9	...	419	
CLASS II—ORDER 1.																							
1. Gout	1	1	1	1	1	1	1
2. Dropsy	1	1	1	1	...	1	1	1	1	1	4
3. Cancer	1	2	1	1	5	1	1	6	2	4	1	1	1	1	26
3a. Tumour	2	2	2	2	2	2	2	2
3b. Polypus	1
4. Noma	...	1	1	2
5. Mortification	1	1	1	1	1	1	1	2
	...	1	1	...	1	1	2	1	2	5	1	2	6	6	4	2	2	2	2	37
ORDER 2.																							
1. Scrofula	1	1	1	3
2. Tabes Mesenterica	9	17	2	...	1	1	...	10	15	9	9	16	7	8	6	3	3	3	3	3	3	3	30
3. Phthisis	3	...	1	1	1	10	15	9	9	16	7	8	6	3	3	3	3	3	3	3	93
3a. Haemoptysis
4. Hydrocephalus	7	5	12
	20	22	3	...	2	2	1	11	15	9	9	16	7	8	6	3	3	3	3	3	3	3	138
Total Class II	20	23	3	...	2	3	1	12	16	11	10	18	12	9	8	9	9	9	4	2	3	...	175

E 2—*continued.*

E 2—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1.																						
1. Premature Birth.....	34	I	34
2. Cyanosis
3. Spina Bifida.....	2
4. Other Malformations.....	2	2
5. Teething	9	I2	21
	46	I2	58
ORDER 2.																						
1. Paramenia	I
2. Childbirth (See Metria)	30
	31
ORDER 3.																						
1. Old Age	40
ORDER 4.																						
1. Atrophy and Debility...	76	5	I	82
Total, Class IV	122	I7	I	9	4	10	5	3	...	I	...	I	5	9	24	...
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions	I	I	I	...	I	3	...	I	...	2	...
2. Wounds { a Gunshot...	I	I
3. Burns and Scalds	I	I	...	I	I	5	
3a. Sunstroke	
4. Poison	
4a. Bite of Snake or Insect	
5. Drowning	I	
6. Suffocation	4	5	
7. Otherwise	
	5	I	I	I	...	3	...	I	...	2	I	...	2	3	...	I	...	2	...	23
ORDER 2.—VIOLENT DEATHS IN BATTLE.																						
1. Gunshot Wounds	
2. Sword and Bayonet Wounds.	
3. Otherwise	
	
ORDER 3.—HOMICIDE.																						
Murder and Manslaughter	I	I	
ORDER 4.—SUICIDE.																						
1. Wounds { Gunshot	I	I
2. Cut, Stab, &c.	
3. Poison	
4. Drowning	
5. Hanging	I	
	I	
ORDER V.—EXECUTION.																						
1. Hanging	
Violent Deaths (not classed) Found Drowned, &c.	2	
Total, Class V	5	I	I	I	...	3	...	I	...	3	I	...	2	4	2	I	...	2	...	27
Sudden Deaths (Cause unascertained).	
Causes not specified or ill-defined.	2	2	I	...	I	
	300	I99	71	31	31	62	16	36	54	46	44	63	49	42	37	36	52	32	32	54	...	1287

DEATHS from all causes of BOTH SEXES, at different ages, registered in SYDNEY, from 1st January to 31st December, 1875.

CAUSES OF DEATH.	Under 1 year.													Total.													
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.							
CLASS I.—ORDER 1.																											
1. Small-pox	
1a. Chicken-pox	
2. Measles	23	83	16	15	7	15	2	162	
3. Scarlatina	8	18	20	14	16	19	7	1	1	1	105	
3a. Diphtheria	7	8	6	3	6	5	36	
4. Quinsy	1	1	4	
5. Croup	3	6	1	7	2	8	27	
6. Whooping-cough	
7. Typhus (and Infantile Fever).	4	2	4	3	2	11	10	8	8	8	1	4	...	5	1	2	2	75	
8. Erysipelas	4	1	...	1	2	...	3	2	...	2	...	1	4	...	3	3	26	
9. Metria	1	4	10	1	2	18	
10. Carbuncle	
11. Influenza	3	6	
12. Dysentery	4	1	1	2	2	1	5	3	1	1	...	2	1	1	...	3	1	29	
13. Diarrhoea	62	71	21	10	...	4	...	2	4	1	2	1	3	1	5	4	5	2	2	8	208		
14. Cholera	9	3	1	2	1	1	1	1	1	1	1	20	
15. Ague	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6		
16. Remittent Fever	4	1	1	6	
17. Rheumatism	1	2	1	3	...	2	3	...	1	1	1	1	1	1	1	1	1	14		
18. Pyæmia	1	1	...	1	2	1	6		
	124	199	71	52	33	67	24	17	22	26	13	18	7	11	13	8	13	5	10	15	748		
ORDER 2.																											
1. Syphilis	4	1	1	1	2	9	
2. Stricture of the Urethra	1	1	1	1	3		
3. Hydrophobia		
4. Glanders		
	4	1	1	1	...	1	1	3	12		
ORDER 3.																											
1. Privation		
2. Want of Breast Milk	28	1	29	
3. Purpura and Scurvy	2	
4. Alcoholism—																											
a Del. Tremens	3	5	4	1	1	2	...	1	1	1	1	1	1	1	17		
b Intemperance	1	1	3	6	1	1	5	...	1	1	1	1	1	1	1	20		
	28	1	1	4	5	7	8	2	3	...	6	1	1	1	1	1	1	1	68	
ORDER 4.																											
1. Thrush	5	1	1	1	7	
2. Worms, &c.	1	1	2	
2a. Hydatid		
	5	2	1	...	1	...	1	9	
Total Class I	161	203	72	52	34	67	24	17	24	31	18	26	16	13	19	8	19	6	11	16	837		
CLASS II.—ORDER 1.																											
1. Gout	1	1	1	1	1	1	1	1	1	1	1	3	
2. Dropsy	1	1	...	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	15		
3. Cancer	1	1	2	1	3	9	5	2	9	3	4	2	2	44		
3a. Tumour	2	2		
3b. Polypus		
4. Noma	2	1	2	1	1	1	1	1	1	3	
5. Mortification	4		
	...	2	1	2	...	2	2	3	2	4	10	7	4	11	8	6	3	4	71		
ORDER 2.																											
1. Serofula	4	...	1	...	1	...	1	...	1	1	8	
2. Tabes Mesenterica	19	29	5	1	3	1	...	17	25	21	26	31	24	15	13	10	7	1	1	1	1	1	1	1	1	57	
3. Phthisis	4	2	1	1	...	1	1	17	25	21	26	31	24	15	13	10	7	1	1	1	1	1	1	1	1	201	
3a. Hæmoptysis		
4. Hydrocephalus	11	6	...	1	...	1	19	
	38	37	7	2	4	3	1	18	25	21	26	31	24	16	13	10	7	1	1	1	1	1	1	1	1	285	
Total Class II	38	39	7	2	5	5	1	20	27	24	28	35	34	23	17	12	15	7	3	5	356	

E 3—continued.

CAUSES OF DEATH	Under 1 year.																				Ages not specified.		Total	
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.					
CLASS III.—ORDER 1.																								
1. Cephalitis.....	17	18	8	4	5	8	I	3	I	5	3	6	II	7	2	7	9	4	8	...	61	
2. Apoplexy.....	I	...	I	...	I	4	4	5	3	4	67	
3. Paralysis.....	24	
4. Insanity.....	I	I	
5. Chorea.....	2	
6. Epilepsy.....	I	I	...	I	2	I	...	I	I	9	
7. Convulsions.....	62	28	8	3	5	106	
8. Brain Disease, &c.	I	2	3	I	3	2	5	2	5	4	3	I	3	5	I	41	
	81	46	16	7	5	15	4	3	8	5	12	7	12	20	15	9	13	18	5	9	310	
ORDER 2.																								
1. Pericarditis.....	I	I	...	I	...	I	4	
2. Aneurism.....	I	2	2	6	5	9	3	13	8	II	10	8	II	9	5	3	9	
3. Heart Disease, &c.	I	107	
	I	2	2	2	7	5	10	5	14	9	12	12	8	12	II	5	3	120	
ORDER 3.																								
1. Laryngitis.....	I	I	...	I	...	I	6	
2. Bronchitis.....	29	19	6	I	2	5	I	I	I	I	4	2	3	3	5	9	7	4	4	...	106	
3. Pleurisy.....	2	...	I	I	I	2	...	3	...	2	I	I	I	2	...	15	
4. Pneumonia.....	18	17	11	4	3	5	5	3	4	I	5	8	3	4	3	4	4	3	I	...	106	
4a. Congestion of the Lungs, pulmonary.	5	I	2	...	I	I	...	I	2	13	
5. Asthma.....	I	I	I	I	I	2	...	2	2	I	I	II	
6. Lung Disease, &c.	I	I	I	I	2	...	I	I	2	...	I	II	
	55	38	18	7	6	13	...	8	7	7	4	15	10	10	II	13	16	15	8	7	268	
ORDER 4.																								
1. Gastritis.....	I3	II	3	...	2	I	I	I	...	2	I	35	
2. Enteritis.....	9	10	I	...	2	4	I	...	I	I	2	...	I	...	2	I	...	4	38	
3. Peritonitis.....	I	I	2	2	5	2	2	I	2	I	I	20	
4. Ascites.....	I	I	4	
5. Ulceration of Intestines	I	I	I	33	
6. Hernia.....	I	33	
7. Ileus.....	I	I	I	2	I	I	I	3	
8. Intussusception.....	I	I	3
9. Stricture of Intestines.....	I	I	2	
10. Fistula.....	
11. Stomach Disease, &c.	I	2	I	I	...	I	I	7	
12. Pancreas Disease, &c.	
13. Hepatitis.....	...	I	I	I	2	I	5	3	2	I	2	I	2	I	2	I	...	23	
14. Jaundice.....	4	I	...	I	...	5	10	6	8	4	2	6	I	3	2	...	5	
15. Liver Disease, &c.	I	I	I	...	I	...	5	10	6	8	4	2	6	I	3	2	...	51	
16. Spleen Disease, &c.	
	29	23	5	I	5	8	2	2	3	6	I7	I7	20	I5	II	9	10	7	7	5	202	
ORDER 5.																								
1. Nephritis.....	2	3	2	I	I	I	10	
2. Ischuria.....	I	2	2	I	4	3	7	4	3	I	2	2	32	
3. Nephria.....	I	2	4	
4. Diabetes.....	3	
5. Stone.....	I	8	
6. Cystitis.....	I	I	...	I	...	I	...	I	2	I	12	
7. Kidney Disease, &c.	2	I	I	...	I	3	3	
	...	2	...	3	3	2	2	3	...	2	5	5	8	10	4	4	8	6	I	I	69	
ORDER 6.																								
1. Ovarian Dropsy.....	I	I	I	I	...	I	5	
2. Uterus Disease, &c.	I	I	I	I	...	I	5	
	I	I	I	I	...	I	5	
ORDER 7.																								
1. Arthritis.....	2	2
1a. Ostitis Periostitis, &c.	I	I
2. Joint Disease, &c.	3
	I	2	2
ORDER 8.																								
1. Phlegmon.....	I	...	I	2
2. Ulcer.....	I	...	I	I
3. Skin Disease, &c.	I	I	2
	I	I	I	...	I	I	5
Total Class III.....	167	110	39	1																				

E 3—*continued.*

CAUSES OF DEATH.	Under 1 year.																		Total.			
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.		
CLASS IV.—ORDER 1.																						
1. Premature Birth.....	67	67		
2. Cyanosis	4	4		
3. Spina Bifida		
4. Other Malformations	5	5		
5. Teething	21	20	41		
	97	20	117		
ORDER 2.																						
1. Paramenia	1		
2. Childbirth (See Metria)	8	4	10	5	3	30		
	9	4	10	5	3	31		
ORDER 3.																						
1. Old Age	61		
ORDER 4.																						
1. Atrophy and Debility ...	144	14	4	162		
Total Class IV	241	34	4	9	4	10	5	3	...	1	...	1	8	15	371		
CLASS V—ORDER 1.—																						
ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions	I	I	I	...	I	I	4	3	I	5	2	2	4	...	5	2	I	4	...	40	
2. Wounds { a Gunshot	I	I	I	I	I	...	I	6	
2. Wounds { b Cuts	I	I	I	I	I	...	I	10	
3. Burns and Scalds	I	...	2	...	I	2	...	I	I	I	I	I	...	I	I	1	
3a. Sunstroke	I	I	I	4	
4. Poison	I	I	I	I	...	I	1	
4a. Bite of Snake or Insect	I	...	I	10	
5. Drowning	2	...	I	I	2	I	...	I	I	I	...	I	7	
6. Suffocation	4	I	...	I	I	I	...	I	
7. Otherwise	
	5	I	4	3	I	5	3	6	4	6	7	3	5	8	2	7	2	2	I	4	...	79
ORDER 2.—																						
VIOLENT DEATHS IN BATTLE.																						
1. Gunshot Wounds	
2. Sword and Bayonet Wounds	
3. Otherwise	
	
ORDER 3.—HOMICIDE.																						
Murder and Manslaughter	I	I	I	I	I	5	
ORDER 4.—SUICIDE.																						
1. Wounds—																						
Gunshot	I	I	I	
Cut, Stab, &c.	I	I	I	I	I	...	I	...	I	5	
2. Poison	I	I	I	I	I	...	I	...	I	4	
3. Drowning	I	I	I	I	I	...	I	...	I	1	
4. Hanging	I	I	I	I	I	...	I	...	I	3	
5. Otherwise	I	...	I	I	
	I	I	2	2	I	3	I	3	I	15	
ORDER 5.—EXECUTION.																						
Hanging	I	I	
Violent Deaths (not classified) — Found Drowned, &c.	I	...	2	...	2	I	2	8	
Total Class V	6	I	4	3	I	5	3	7	5	8	12	5	8	12	4	11	5	2	2	4	...	108
Sudden Deaths (Cause unascertained.)	
Causes not specified or ill-defined.	2	2	I	...	4	2	I	3	3	I	19		
	613	387	126	75	63	119	40	68	88	97	112	129	127	118	96	87	103	81	57	86	I	2673

F 1.

DEATHS from all causes of MALES, at different ages, registered in the SUBURBAN DISTRICTS, from 1st January to 31st December, 1875.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.		
	
CLASS 1.—ORDER 1.																								
1. Small-pox	50
2a. Chicken-pox	56
2. Measles	7	17	6	5	1	10	8	8	11	3	1	2	1	1	1	1	1	1	1	1	1	1	1	6
3. Scarlatina	5	11	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3a. Diphtheria
4. Quinsy
5. Croup	2	1	3	2	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6. Whooping-cough	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
7. Typhus (and Infantile Fever.)	1	3	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	22
8. Erysipelas	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	15
9. Metria
10. Carbuncle
11. Influenza	1
12. Dysentery	4	1	2	2	9
13. Diarrhoea	26	22	5	5	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	71
14. Cholera	2	...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3
15. Ague
16. Remittent Fever	1	3
17. Rheumatism	4
18. Pyæmia
	51	56	31	23	15	33	4	6	1	2	4	2	6	3	4	3	1	2	1	5	253	
ORDER 2.																								
1. Syphilis	I	I
2. Stricture of the Urethra
3. Hydrophobia
4. Glanders
	I	I
ORDER 3.																								
1. Privation
2. Want of Breast Milk
3. Purpura and Scurvy
4. Alcoholism—																								
a Del. Tremens
b Intemperance	I
	I
ORDER 4.																								
1. Thrush	2	...	I	3
2. Worms, &c.	I
2a. Hydatid
	2	...	I	I	4
Total Class I	54	56	32	23	15	33	5	6	1	2	4	2	7	3	4	3	1	2	1	5	259	
CLASS II.—ORDER 1.																								
1. Gout
2. Dropsy	I	4
3. Cancer	8
3a. Tumour	I
3b. Polypus
4. Noma
5. Mortification
	I	13
ORDER 2.																								
1. Scofula	14	6	3	1	24
2. Tabes Mesenterica	49
3. Phthisis	I
3a. Hæmoptysis
4. Hydrocephalus	2	I	3
	16	6	3	2	I	1	3	12	6	2	7	11	2	2	2	2	1	...	1	...	78
Total Class II	17	6	3	2	I	1	3	12	6	3	7	12	4	3	4	4	1	2	91

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS III.—ORDER 1.																							26
1. Cephalitis	14	8	2	2	2	2	9
2. Apoplexy	1	2	7
3. Paralysis	7
4. Insanity	8
5. Chorea	40
6. Epilepsy	8
7. Convulsions	23	8	4	2	...	3	1	97
8. Brain Disease, &c.
	38	16	6	2	...	7	1	2	2	3	4	3	1	5	2	2	3	97
ORDER 2.																							I
1. Pericarditis	5
2. Aneurism	2	6
3. Heart Disease, &c.	I	...	I	2	...	I	3	I	2	3	1	3	3	3	2	5	2	3	42
	I	...	I	2	...	I	3	I	3	4	2	3	6	3	2	5	2	3	42
ORDER 3.																							5
1. Laryngitis	I	...	I	I	I	5
2. Bronchitis	I3	9	I	2	I	2	I	2	3	I	...	35
3. Pleurisy	I	I
4. Pneumonia	7	5	3	2	2	I	2	2	3	2	2	2	I	...	2	I	35
4a. Congestion of the Lungs, pulmonary.	3	2	...	I	I	I	I	10
5. Asthma	4
6. Lung Disease, &c.	8
	24	16	5	5	3	4	2	...	I	...	6	5	4	3	5	2	2	5	5	5	I	...	98
ORDER 4.																							5
1. Gastritis	2	...	I	I	18
2. Enteritis	8	4	...	I	I	I	2	...	I	I	...
3. Peritonitis
4. Ascites
5. Ulceration of Intestines	I	I	I	I	4
6. Hernia	I	I	...
7. Ileus
8. Intussusception
9. Stricture of Intestines..
10. Fistula
11. Stomach Disease, &c.	I	I	...	2
12. Pancreas Disease, &c.
13. Hepatitis	I	2	3
14. Jaundice	2	I	I	3
15. Liver Disease, &c.	I	I	4	I	...	2	I	II
16. Spleen Disease, &c.
	I4	6	I	I	I	...	I	3	4	2	7	3	...	2	I	...	2	...	48	
ORDER 5.																							6
1. Nephritis	I	I	...	I	...	I	2	I	3
2. Ischuria	I	2	I	...	2	4
3. Nephria	1
4. Diabetes	1
5. Stone	1
6. Cystitis.....	I	I	4
7. Kidney Disease, &c.	I	I
	I	...	I	I	...	I	...	I	2	...	2	I	2	I	2	4	...	3	...	22	
ORDER 7.																							I
1. Arthritis	I
1a. Ostitis Periostitis, &c....
2. Joint Disease, &c.
	I	I
ORDER 8.																							I
1. Phlegmon	I
2. Ulcer	I
3. Skin Disease, &c.	I
	I	I
Total Class III.....	78	38	14	9	3	14	3	5	6	2	16	16	12	18	17	11	17	10	9	309	

F 1—*continued.*

CAUSES OF DEATH.	Under 1 year.																			Total.	
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.		
CLASS IV.—ORDER 1.																					
1. Premature Birth	15	10	15	
2. Cyanosis	1	1	
3. Spina Bifida	
4. Other Malformations	2	2	
5. Teething	15	10	25	
	33	10	43	
ORDER 3.																					
1. Old Age	5	5	3	13	26
ORDER 4.																					
1. Atrophy and Debility	63	7	1	71	
Total Class IV	96	17	1	5	5	3	13	140	
CLASS V.—ORDER 1.—																					
ACCIDENT OR NEGLIGENCE.																					
1. Fractures & Contusions	2	...	1	...	1	1	5	
2. Wounds { a. Gunshot	1	1	
2. Wounds { b. Cuts	
3. Burns and Scalds	1	...	1	1	3	
3a. Sunstroke	1	1	
4. Poison	
4a. Bite of Snake or Insect	
5. Drowning	1	5	1	1	...	1	1	...	10	
6. Suffocation	1	1	
7. Otherwise	
	1	...	1	1	1	5	1	2	2	2	1	1	1	1	1	1	1	1	1	21	
ORDER 2.—																					
VIOLENT DEATHS IN BATTLE.																					
1. Gunshot Wounds	
2. Sword and Bayonet Wounds	
3. Otherwise	
	
ORDER 3.—HOMICIDE.																					
Murder and Manslaughter	1	1	
ORDER 4.—SUICIDE.																					
1. Wounds { Gunshot	1	2	
1. Wounds { Cut, Stab, &c.	
2. Poison	1	1	
3. Drowning	1	1	
4. Hanging	1	1	
5. Otherwise	
	1	...	1	2	1	5	
ORDER 5.—EXECUTION.																					
1. Hanging	
Violent Deaths (not classed)	
Total Class V	2	...	1	1	1	5	1	2	2	3	1	2	1	1	1	2	1	1	...	27	
Sudden Deaths (Cause unascertained).	
Causes not specified or ill-defined.	3	...	1	4	
	247	117	50	35	20	53	9	14	12	19	27	23	27	34	28	17	24	29	16	29	830

F 2.

DEATHS from all causes of FEMALES, at different ages, registered in the SUBURBAN DISTRICTS, from 1st January to 31st December, 1875.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.		
CLASS I—ORDER 1.																							
1. Small-pox.....	51	
1a. Chicken-pox	9	19	5	3	1	9	1	59	
2. Measles	3	7	14	12	4	12	2	6	
3. Scarletina.....	3	2	2	
3a. Diphtheria	2	2	
4. Quinsy	
5. Croup	3	3	4	...	1	1	1	
6. Whooping-cough.....	...	1	
7. Typhus (and Infantile Fever.)	1	1	1	2	2	2	4	19	
8. Erysipelas	3	1	9	
9. Metria	2	4	3	3	1	1	14	
10. Carbuncle	1	1	1	1	
11. Influenza	2	
12. Dysentery	1	1	1	1	1	1	1	5	
13. Diarrhoea	25	23	7	4	...	3	73	
14. Cholera	2	2	
15. Ague	
16. Remittent Fever.....	1	1	
17. Rheumatism	1	3	
18. Pyæmia	1	
	47	56	32	23	9	30	4	5	9	10	5	5	5	3	2	5	3	2	2	1	...	258	
ORDER 2.																							
1. Syphilis	
2. Stricture of the Urethra	
3. Hydrophobia	
4. Glanders	
ORDER 3.																							
1. Privation	
2. Want of Breast Milk	
3. Purpura and Scurvy	I	I	2	
4. Alcoholism—	
a. Del. Tremens	1	...	2	3	
b. Intemperance	5	
ORDER 4.																							
1. Thrush	I	1	
2. Worms, &c.....	
2a. Hydatid	
																						I	
Total Class I.....	49	57	32	23	9	30	4	5	9	10	6	5	7	3	2	5	3	2	2	1	...	264	
CLASS II—ORDER 1.																							
1. Gout	
2. Dropsy	5	
3. Cancer	I	II	
3a. Tumour	2	
3b. Polypus	
4. Noma	1	1	
5. Mortification	
						I	4	1	2	3	4	I	...	19
ORDER 2.																							
1. Scrofula	2	3	
2. Tabes Mesenterica	II	10	21	
3. Phthisis	I	2	4	10	4	12	10	3	5	I	2	56	
3a. Haemoptysis	
4. Hydrocephalus	I	1	
									4	10	4	12	10	4	5	I	I	2	81	
Total Class II	I3	I4	...	I	I	I	...	4	10	5	12	10	8	6	3	4	6	I	I	100	

F 2—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.		
CLASS III—ORDER 1.																								
1. Cephalitis	4	3	I	...	I	...	I	...	I	...	I	...	I	...	I	...	I	...	I	...	I	...	10	
2. Apoplexy	23	
3. Paralysis	6	
4. Insanity	I	
5. Chorea	
6. Epilepsy	10	
7. Convulsions	28	6	3	2	I	2	I	...	I	42	
8. Brain Disease, &c.	I	I	I	9	
	33	9	4	2	2	3	2	3	2	...	5	I	2	6	8	5	4	I	5	4	101	
ORDER 2.																								
1. Pericarditis	I	I	
2. Aneurism	I	2	3	I	3	
3. Heart Disease, &c.	2	I	2	4	I	3	...	5	I	3	2	3	3	32	
	2	I	2	4	I	3	...	5	I	3	2	3	3	33	
ORDER 3.																								
1. Laryngitis	I	I	
2. Bronchitis	13	13	...	I	...	I	I	I	I	2	...	2	...	35
3. Pleurisy	I	I	2	
4. Pneumonia	6	8	3	2	...	3	3	I	I	I	28	
4a. Congestion of the Lungs, pulmonary.	2	2	...	2	I	I	2	I	II	
5. Asthma	I	...	I	...	I	7	
6. Lung Disease, &c.	I	I	I	3	
	22	23	4	5	I	5	I	I	...	4	...	2	2	...	3	3	7	4	87	
ORDER 4.																								
1. Gastritis	2	I	I	I	4	
2. Enteritis	3	5	2	I	I	I	...	I	I	I	14	
3. Peritonitis	I	2	2	2	...	I	8	
4. Ascites	I	2	
5. Ulceration of Intestines	
6. Hernia	I	I	2	
7. Ileus	I	I	2	
8. Intussusception	
9. Stricture of Intestines	
10. Fistula	
11. Stomach Disease, &c.	I	I	I	3
12. Pancreas Disease, &c.	
13. Hepatitis	2	...	I	I	...	I	I	2	...	I	I	I	10	
14. Jaundice	I	I	I	2	
15. Liver Disease, &c.	I	I	I	...	I	I	I	6	
16. Spleen Disease, &c.	
	7	6	3	3	...	I	I	3	3	5	2	2	5	4	4	3	I	53	
ORDER 5.																								
1. Nephritis	I	I	I	3	
2. Ischuria	I	I	I	I	I	I	5	
3. Nephria	I	2	
4. Diabetes	I	I	
5. Stone	
6. Cystitis	I	
7. Kidney Disease, &c.	I	I	2	
	2	I	2	I	...	I	2	...	I	...	I	...	I	12	
ORDER 6.																								
1. Ovarian Dropsy	I	I	2	I	5	
2. Uterus Disease, &c.	I	I	2	I	5	
	I	I	2	I	
ORDER 7.																								
1. Arthritis	I	I	I	
1a. Ostitis Periostitis, &c.	I	I	I	I	
2. Joint Disease, &c.	I	I	3	
	I	I	
ORDER 8.																								
1. Phlegmon	
2. Ulcer	
3. Skin Disease, &c.	I	I	
	I	I	
Total, Class III	65	38	11	9	3	13	6	8	5	7	12	13	5	16	16	14	13	12	16	12	I	...	295	

F 2—*continued.*

CAUSES OF DEATH.	Under 1 year.																		Total.			
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.		
CLASS IV.—ORDER 1.																						
1. Premature Birth	9	...	I	9	I		
2. Cyanosis		
3. Spina Bifida		
4. Other Malformations	4	4	26		
5. Teething	15	II	40		
ORDER 2.																						
1. Paramenia	2	7		
2. Childbirth (See Metria)	2	...	2	2	I	I	I	9		
ORDER 3.																						
1. Old Age	I	2	10	7	...	
ORDER 4.																						
1. Atrophy and Debility	58	19	77		
Total, Class IV	86	31	2	...	2	2	I	I	I	...	I	2	10	7	146	
CLASS V.—ORDER 1.—																						
ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions	I	I	
2. Wounds { a Gunshot	
3. Cuts	2	
3a. Burns and Scalds	
4. Poison	I	2	
4a. Bite of Snake or Insect	
5. Drowning	I	I	2	
6. Suffocation	I	I	
7. Otherwise	
ORDER 2.—																						
VIOLENT DEATH IN BATTLE.																						
1. Gunshot Wounds	
2. Sword and Bayonet Wounds	
3. Otherwise	
ORDER 3.—HOMICIDE.																						
Murder and Manslaughter	I	I	I	...	2	...	
ORDER 4.—SUICIDE.																						
1. Wounds { Gunshot	
2. Cut, Stab, &c.	
2. Poison	
3. Drowning	I	I	...	
4. Hanging	I	I	
5. Otherwise	
ORDER 5.—EXECUTION.																						
1. Hanging	
Violent Deaths (not classed).	
Total, Class V	I	I	I	...	I	I	I	I	I	...	2	I	...	II	
Sudden Deaths (cause unascertained).	
Causes not specified or ill-defined.	I	I	...	
	214	141	43	33	13	46	10	18	27	22	32	31	21	26	23	24	23	19	30	20	I	817

F 3.

DEATHS from all Causes of BOTH SEXES, at different ages, registered in the SUBURBAN DISTRICTS, from 1st January to 31st December, 1873.

CAUSES OF DEATH.	Under 1 year.															Total					
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.		
CLASS I.—ORDER 1.																					
1. Small-pox	101
1a. Chicken-pox	12
2. Measles	16	36	11	8	2	19	4	3	1	2	5	1	2	1	2	1	1	1	1	1	115
3. Searlatina	8	18	24	20	12	23	3	3	1	1	2	1	1	1	1	1	1	1	1	1	12
3a. Diphtheria	2	4	1	2	3
4. Quinsy
5. Croup	5	4	7	2	2	4	24
6. Whooping-cough	2	2
7. Typhus (and Infantile Fever.)	1	4	2	3	5	3	2	5	1	3	2	1	3	3	1	2	...	41
8. Erysipelas	7	1	1	2	2	1	...	1	2	3	1	1	1	24
9. Metria	2	4	3	3	1	1	1	1	1	1	1	1	14
10. Carbuncle
11. Influenza	1	1	1	1	1	1	1	1	1	1	1	3
12. Dysentery	4	2	3	1	1	1	3	1	14
13. Diarrhoea	51	45	12	9	1	6	2	...	3	4	...	4	2	2	3	...	144
14. Cholera	4	...	1	5
15. Ague	1	1	1	1	1	1	1	1	1	...
16. Remittent Fever	1	1	1	2	1	1	1	1	1	1	1	4
17. Rheumatism	7
18. Pyæmia	1	...
	98	112	63	46	24	63	8	11	10	12	9	7	11	6	6	8	4	4	3	6	...
ORDER 2.																					
1. Syphilis	I	I
2. Stricture of the Urethra
3. Hydrophobia
4. Glanders
	I	I
ORDER 3.																					
1. Privation
2. Want of Breast Milk	2
3. Purpura and Scurvy	I	I
4. Alcoholism— a Del. Tremens
b Intemperance	4
	I	I	6
ORDER 4.																					
1. Thrush	3	...	1	1	4
2. Worms, &c.	I
2a. Hydatid
	3	...	1	1	5
Total Class I	103	113	64	46	24	63	9	11	10	12	10	7	14	6	6	8	4	4	3	6	523
CLASS II.—ORDER 1.																					
1. Gout
2. Dropsy	I	9
3. Cancer	I	19
3a. Tumour	3
3b. Polypus	1
4. Noma	1
5. Mortification
	2	1	1	4	2	4	4	6	4	2	1	32
ORDER 2.																					
1. Scrofula	2	2	4
2. Tabes Mesenterica	25	16	3	1	5	13	16	18	12	9	16	3	2	4	1	1	45
3. Phthisis	I	2	1	1	105
3a. Hæmoptysis	1
4. Hydrocephalus	2	2	4
	28	20	3	3	1	1	...	5	13	16	18	12	11	16	3	3	4	1	1	1	159
Total Class II	30	20	3	3	2	1	...	5	13	17	18	13	15	18	7	7	10	5	2	2	191

F 3—*continued.*

CAUSES OF DEATH.	Under 1 year.																					
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS III.—ORDER 1.																						
1. Cephalitis	18	11	3	...	I	2	...	I	...	36												
2. Apoplexy	I	32		
3. Paralysis	13		
4. Insanity	1		
5. Chorea		
6. Epilepsy	17		
7. Convulsions	51	14	7	4	I	25	2	4	...	I	82		
8. Brain Disease, &c.	I	17		
	71	25	10	4	2	10	3	5	2	...	7	4	6	9	9	10	6	3	8	4	198	
ORDER 2.																						
1. Pericarditis	2		
2. Aneurism	5		
3. Heart Disease, &c.	3	...	I	3	2	4	3	I	3	6	I	8	4	6	4	8	5	6	68	
	3	...	I	3	2	5	3	I	4	7	2	8	7	6	4	8	5	6	75	
ORDER 3.																						
1. Laryngitis	1	...	2	I	I	6	
2. Bronchitis	26	22	I	3	I	3	I	I	...	I	2	...	I	5	I	70	
3. Pleurisy	I	3	63	
4. Pneumonia	13	13	6	4	2	4	2	2	6	2	2	I	3	21	
4a. Congestion of the Lungs, pulmonary.	5	4	...	3	I	I	I	2	...	I	2	...	
5. Asthma	I	...	I	2	...	2	...	II	II	
6. Lung Disease, &c.	I	I	2	I	2	...	I	5	I	...	
	46	39	9	10	4	9	3	...	I	I	6	9	4	5	7	2	5	8	12	5	185	
ORDER 4.																						
1. Gastritis	4	...	I	I	I	I	9	
2. Enteritis	II	9	2	I	...	I	...	I	...	I	...	I	...	I	2	I	32	
3. Peritonitis	2	2	2	9	
4. Ascites	I	I	2	2	
5. Ulceration of Intestines	...	I	I	I	I	4	
6. Hernia	I	I	I	...	I	I	3	3	
7. Ileus	I	I	2	2	
8. Intussusception	I	I	
9. Stricture of Intestines	I	I	
10. Fistula	I	I	I	
11. Stomach Disease, &c.	I	I	I	I	I	I	...	5	
12. Pancreas Disease, &c.	I	I	2	...	I	I	
13. Hepatitis	2	...	I	I	2	2	...	I	2	...	I	I	13	
14. Jaundice	2	I	I	I	...	I	5	5	
15. Liver Disease, &c.	I	I	I	I	I	2	4	2	I	2	I	...	17	
16. Spleen Disease, &c.	
	21	12	4	I	...	3	...	2	I	4	6	9	4	9	8	4	6	4	I	2	101	
ORDER 5.																						
1. Nephritis	I	2	...	I	...	I	2	I	I	I	I	9	
2. Ischuria	I	I	I	2	I	I	I	...	3	
3. Nephria	2	I	3	...	II	
4. Diabetes	I	...	I	...	3	
5. Stone	I	...	1	
6. Cystitis	I	I	2	4	
7. Kidney Disease, &c.	I	I	I	3	
	I	...	I	3	...	I	I	I	2	2	3	...	I	I	2	3	2	5	...	4	I	34
ORDER 6.																						
1. Ovarian Dropsy	I	I	2	I	5	
2. Uterus Disease, &c.	I	I	2	I	5	
	I	I	2	I	5	
ORDER 7.																						
1. Arthritis	I	2	
1a. Ostitis Periostitis, &c	I	I	I	I	
2. Joint Disease, &c.	I	I	4	
	I	I	I	I	
ORDER 8.																						
1. Phlegmon	
2. Ulcer	I	I	I	
3. Skin Disease, &c.	I	I	2	
	I	I	2	
Total Class III.	143	76	25	18	6	27	9	13	11	9	28	29	17	34	33	25	24	29	26	21	I	604

F 3—*continued.*

CAUSES OF DEATH.	Under 1 year.																		Ages not specified.	Total.	
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.		
CLASS IV.—ORDER 1.																					
1. Premature Birth.....	24	24	
2. Cyanosis	I	I	2	
3. Spina Bifida.....	
4. Other Malformations	6	6	
5. Teething	30	21	51	
	61	22	83	
ORDER 2.																					
1. Paramenia	2	
2. Childbirth (See Metria)	2	...	2	I	I	I	7	
	2	...	2	2	I	I	I	9	
ORDER 3.																					
1. Old Age	46	
ORDER 4.																					
1. Atrophy and Debility...	121	26	I	148	
Total Class IV.....	182	48	I	2	...	2	2	I	I	I	...	6	7	13	20	286
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE.																					
1. Fractures Contusions	I	2	...	I	...	I	I	I	6
2. Wounds $\{$ a Gunshot	I	I	...
3. Cuts
3a. Burns and Scalds	I	I	...	I	2	5	
4. Sunstroke	I	I	I	...	
4a. Poison	I	2	
5. Bite of Snake or Insect	5	I	I	...	I	I	
6. Drowning	I	I	I	I	I	...	12	
6. Suffocation	I	I	2	
7. Otherwise	
	I	I	I	I	I	6	I	3	2	2	I	2	I	I	I	...	2	I	...	29	
ORDER 2.—																					
VIOLENT DEATHS IN BATTLE.																					
1. Gunshot Wounds	
2. Sword and Bayonet Wounds	
3. Otherwise	
ORDER 3.—HOMICIDE.																					
Murder and Manslaughter...	2	2	
ORDER 4.—SUICIDE.																					
1. Gunshot	I	I	2	
2. Wounds $\{$ Cut, Stab, &c	I	
3. Poison	I	I	I	
4. Drowning	I	I	2	
4. Hanging	I	I	2	
5. Otherwise	
	I	I	...	I	2	I	I	...	7
ORDER 5.—EXECUTION.																					
I. Hanging	
Violent Deaths (not classed)	
Total Class V.....	3	I	I	I	I	I	6	I	3	3	3	I	3	I	I	I	I	2	3	2	38
Sudden Deaths (cause un-ascertained.)	
Causes not specified or ill-defined.	I	3	...	I	5
	461	258	93	68	33	99	19	32	39	41	59	54	48	60	51	41	47	48	46	49	1 1647

G 1.

DEATHS from all causes of MALES, at different ages, registered in the COUNTRY DISTRICTS, from 1st January to 31st December, 1875.

CAUSES OF DEATH.	Under 1 year.																			Total.		
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 6 years.	6 to 7 years.	7 to 8 years.	8 to 9 years.	9 to 10 years.	10 to 11 years.	11 to 12 years.	12 to 13 years.	13 to 14 years.	14 to 15 years.	15 to 16 years.	16 to 17 years.	17 to 18 years.	18 to 19 years.	19 to 20 years.			
CLASS I.—ORDER 1.																						
1. Small pox		
1a. Chicken-pox	243		
2. Measles	77	56	29	9	17	27	7	6	5	3	2	1	1	1	1	1	1	1	1	41		
3. Scarlatina	4	9	4	4	3	15	1	...	1	52		
3a. Diphtheria	6	7	7	2	7	17	2	1		
4. Quinsy	1	42		
5. Croup	5	12	11	6	4	3	1	53		
6. Whooping-cough	28	12	6	3	1	3	102		
7. Typhus (and Infantile Fever.)	10	10	6	2	3	13	6	13	6	8	5	7	2	2	2	2	1	2	1	25		
8. Erysipelas	2	2	1	1	1	1	1	1	1	1	1	1	1	1	25		
9. Metria		
10. Carbuncle	1	1		
11. Influenza	21	...	1	2	...	1	1	1	1	...	1	1	2	32		
12. Dysentery	19	24	3	2	1	11	2	1	...	3	1	2	4	5	3	7	8	5	1	102		
13. Diarrhoea	81	26	4	2	2	6	1	...	1	1	2	...	2	1	2	4	4	3	142			
14. Cholera	5	1	1	...	1	1	1	1	1	1	8		
15. Ague		
16. Remittent Fever	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	II		
17. Rheumatism	1	...	4	2	2	1	1	1	2	2	2	2	3	2	1	1	27		
18. Pyæmia	1	1	2	2	1	1	1	1	1	7		
	261	157	72	33	39	99	27	23	14	18	15	15	10	15	15	12	17	19	9	16	3	889
ORDER 2.																						
1. Syphilis	3	1	1	1	1	1	1	1	1	1	7	
2. Stricture of the Urethra	2	1	1	1	1	1	3	
3. Hydrophobia	
4. Glanders	
	3	1	1	1	1	1	2	1	1	1	10	
ORDER 3.																						
1. Privation	1	1	1	1	1	1	1	1	2	4	4	4	1	7	...	2	1	1	7		
2. Want of Breast Milk	3	1	...	1	1	1	1	1	1	1	1	1	3		
3. Purpura and Scurvy	1	...	1	1	1	1	1	1	2	1	1	5		
4. Alcoholism— a Del. Tremens	1	...	1	...	3	...	1	2	1	1	7		
b Intemperance	4	5	5	10	4	2	5	2	2	1	41		
	3	1	1	1	1	1	1	1	1	2	9	6	10	12	11	5	7	5	4	1	8	87
ORDER 4.																						
1. Thrush	12	...	1	2	4	4	1	7	...	2	1	1	1	13	
2. Worms, &c.	1	...	1	1	1	1	1	1	1	1	1	1	...	
2a. Hydatid	1	...	1	1	1	1	1	1	1	1	1	1	3	
	12	...	1	1	...	1	...	1	1	1	1	1	1	1	1	1	1	16	
Total Class I	279	158	74	33	40	99	28	23	17	20	25	21	20	28	26	18	25	26	14	17	11	1002
CLASS II.—ORDER 1.																						
1. Gout	2	1	1	1	1	1	2	4	5	1	1	56	
2. Drospsy	5	3	...	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	81	
3. Cancer	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	13	
3a. Tumour	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	...	
3b. Polypus	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	...	
4. Noma	1	1	2	1	1	1	1	1	1	1	1	1	1	7	
5. Mortification	1	1	2	1	1	1	1	1	1	1	1	1	1	158	
	6	3	...	2	1	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	
ORDER 2.																						
1. Serofula	3	1	2	...	1	1	1	1	1	2	4	5	3	4	5	11	6	3	1	14
2. Tabes Mesenterica	21	19	4	2	46
3. Plthisis	3	5	1	2	12	17	20	27	21	23	22	21	6	11	4	1	2	1	199	
3a. Haemoptysis	2	1	1	1	1	3	
4. Hydrocephalus	7	7	...	3	17	
	34	31	4	2	4	3	2	13	18	20	27	22	25	22	22	6	14	5	1	2	2	279
Total Class II	40	34	4	4	5	5	3	13	19	22	27	28	32	35	31	24	34	35	21	18	3	437

G 1—continued.

CAUSES OF DEATH.	Under 1 year.																		Total.			
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.		
CLASS III.—ORDER 1.																						
1. Cephalitis	14	17	4	...	3	1	2	...	1	4	9	7	7	6	16	9	6	4	1	43		
2. Apoplexy	1	2	1	1	3	4	5	2	3	4	2	3	6	2	36		
3. Paralysis	3	1	3	1	4	5	2	3	5	4	8	12	10	69		
4. Insanity	1	...	3	1	4	5	2	3	4	3	6	2	...	30		
5. Chorea	2	2	1	1	4	1	6	4	3	1	1		
6. Epilepsy	2	2	1	1	4	1	6	4	3	1	1		
7. Convulsions	170	24	10	1	2	...	1	1	2	3	2	2	6	6	1	6	3	4	3	207		
8. Brain Disease, &c.	2	1	1	...	1	2	3	2	2	6	6	1	6	3	4	3	1	46		
	186	42	15	1	2	7	5	8	8	9	15	21	32	21	23	30	21	24	26	17	2	515
ORDER 2.																						
1. Pericarditis	1	1	1	3		
2. Aneurism	2	2	1	3	5	2	1	3	2	1	...	22		
3. Heart Disease, &c.	5	3	2	3	2	4	6	15	10	20	17	17	25	20	15	11	175	
	5	3	2	3	2	6	8	17	14	26	19	18	28	22	16	11	200	
ORDER 3.																						
1. Laryngitis	I	...	I	...	I	I	4		
2. Bronchitis	49	19	11	4	4	5	I	...	2	2	3	4	6	6	4	3	14	9	10	3	159	
3. Pleurisy	I	I	I	...	2	...	I	I	I	1	1	1	...	10	
4. Pneumonia	39	9	6	5	I	3	I	5	6	5	9	8	6	14	7	7	12	4	8	6	161	
4a. Congestion of the Lungs, pulmonary.	7	3	2	2	2	2	I	I	3	2	2	3	...	I	31	
5. Asthma	I	I	I	I	...	2	I	I	I	I	2	2	2	5	3	...	5	...	25	
6. Lung disease, &c.	I	I	...	I	3	...	4	2	2	3	...	4	...	I	22	
	98	33	21	11	6	10	5	5	9	9	17	15	16	24	19	19	23	28	18	21	5	412
ORDER 4.																						
1. Gastritis	3	I	10		
2. Enteritis	17	9	4	2	I	5	2	2	4	2	2	I	2	I	6	2	3	2	I	70		
3. Peritonitis	I	I	...	I	I	I	I	I	I	...	I	...	10		
4. Ascites	I	5		
5. Ulceration of Intestines	I	I	...	I	I	I	10	
6. Hernia	2	I	I	I	3	2	
7. Ileus	3	I	I	I	3	I	...	I	I	I	...	I	2	3	I	19		
8. Intussusception	
9. Stricture of Intestines..	
10. Fistula	
11. Stomach Disease, &c.	4	I	2	I	...	I	I	I	I	I	I	I	13		
12. Pancreas Disease, &c..	I	
13. Hepatitis	I	...	I	2	4	4	I	3	I	...	17		
14. Jaundice	9	I	3	2	...	I	3	7	4	4	4	4	3	...	I	6	...	16	
15. Liver Disease, &c.	2	I	3	2	...	I	3	7	4	4	4	4	7	6	2	4	...	58	
16. Spleen Disease, &c.	
	41	11	5	2	2	11	6	3	9	9	11	10	10	10	9	19	19	21	8	10	3	229
ORDER 5.																						
1. Nephritis	I	I	2	4		
2. Ischuria	I	I	3	2	6		
3. Nephria	I	I	2	...	I	3	I	9		
4. Diabetes	I	I	2		
5. Stone	2	2	4	2	2	3	...	15	
6. Cystitis	2	I	3	5	2	6	7	I	28	
7. Kidney Disease, &c.	
	2	I	I	I	I	I	3	...	4	3	6	16	8	8	10	66
ORDER 7.																						
1. Arthritis	I	...	I	2	
1a. Ostitis Periostitis, &c..	I	...	I	I	I	...	I	4		
2. Joint Disease, &c.	I	...	I	2	...	I	3	...	I	...	5	
	I	...	I	2	...	I	3	...	I	...	9	
ORDER 8.																						
1. Phlegmon	I	
2. Ulcer	I	I	...	
3. Skin Disease, &c.	I	I	I	...	
	I	I	2	
Total Class III.....	333	87	41	14	10	32	18	21	30	34	54	66	73	85	73	95	107	104	76	69	11	1433

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS IV.—ORDER 1.																							93
1. Premature Birth.....	93	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2. Cyanosis																							
3. Spina Bifida	3																						
4. Other Malformations..	9																						
5. Teething	43	34	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	77
	149	34	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	183
ORDER 3.																							321
1. Old Age
ORDER 4.																							153
1. Atrophy and Debility...	137	9	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Total Class IV.....	286	43	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	657
CLASS V.—ORDER 1.																							
ACCIDENT OR NEGLIGENCE.																							221
1. Fractures & Contusions.	1	7	16	14	18	13	15	30	26	14	21	9	13	8	7	6	3	221
2. Wounds { a Gunshot...	1	1	3	2	4	...	1	...	2	...	1	...	1	1	1	1	13
3. Burns and Scalds	1	3	6	3	1	3	1	1	1	1	1	2	2	...	1	1	1	1	2	1	7
3a. Sunstroke	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	18
4. Poison	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	8
4a. Bite of Snake or Insect	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6
5. Drowning.....	6	4	3	3	14	7	11	8	6	8	10	7	10	6	4	2	5	2	3	2	1	1	127
6. Suffocation	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	10
7. Otherwise	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	5	12	12	7	4	30	25	31	32	24	27	44	37	28	33	17	19	14	11	13	13	13	438
ORDER 2.—VIOLENT DEATHS IN BATTLE.																							
1. Gunshot wounds.....
2. Sword and Bayonet Wounds.
3. Otherwise
ORDER 3.—HOMICIDE.																							5
Murder and Manslaughter																							
ORDER 4.																							2
1. Wounds { Gunshot	8
2. Wounds { Cut, Stab, &c.	4	1	1	1	1	1	1	2
2. Poison	2
3. Drowning.....	1	3	4
4. Hanging	1	1	2	3	7
5. Otherwise	1	1
	1	1	6	...	6	6	2	...	1	1	...	24
ORDER 5.—EXECUTION.																							
1. Hanging	1	1
Violent Deaths (not classed)																							
Total, Class V	5	12	12	7	4	30	25	32	32	25	28	50	37	35	40	17	23	14	13	14	13	13	468
Sudden Deaths (Cause unascertained.)																							
Causes not specified or ill-defined.	1	1	4	...	1	1	...	2	4	5	3	2	...	3	...	1	4	...	32	
	943	334	135	60	61	170	74	90	99	101	134	167	166	188	173	157	225	219	207	284	42	4,029	

G 2.

DEATHS from all causes, of FEMALES at different ages, registered in the COUNTRY DISTRICTS, from 1st January to 31st December, 1875.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21		
CLASS I.—ORDER 1.																							
1. Small-pox.....	46	59	36	14	12	22	8	9	6	16	9	2	I	I	I	I	I	I	I	I	I	I	246
1a. Chicken-pox.....																							41
2. Measles.....																							65
3. Scarlatina.....	3	7	6	4	2	9	5	6	2	2	2												2
3a. Diphtheria.....	3	9	5	9	4	21	6	5	3	1	1	I	I	I	I	I	I	I	I	I	I	I	34
4. Quinsy.....																							49
5. Croup.....	5	7	6	5	5	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	80
6. Whooping-cough.....	23	12	6	2	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	10
7. Typhus (and Infantile Fever).....	4	7	4	3	6	12	6	10	9	5	6	3	I	I	I	I	I	I	I	I	I	I	II
8. Erysipelas.....	4	I	I	...	I	1	2	2	2	2	2	2	2	2	2	2	15
9. Metria.....	I	3	3	4	2	2	2	2	2	2	2	2	2	2	...
10. Carbuncle.....
11. Influenza.....	10	...	I	I	I	16
12. Dysentery.....	25	18	2	3	3	10	2	...	I	69
13. Diarrhoea.....	54	25	5	2	3	2	...	I	3	I	102
14. Cholera.....	9	4	2	...	I	...	I	17
15. Ague.....
16. Remittent Fever.....	2	I	2	...	I	3	...	I	I	2	I	10
17. Rheumatism.....	I	I	3	10
18. Pyæmia.....	1	I	...	3	...	I	6
	189	149	75	43	41	89	26	30	21	33	25	14	6	3	I	2	9	4	3	9	I	773	
ORDER 2.																							
1. Syphilis.....	2	2
2. Stricture of the Urethra.....
3. Hydrophobia.....
4. Glanders.....
	2	2
ORDER 3.																							
1. Privation.....	I	I	2
2. Want of Breast Milk.....	3	3
3. Purpura and Scurvy.....	2	I	I	4
4. Alcoholism—	I	...	I
a Del. Tremens.....	I	3	I	...	2	I	I
b Intemperance.....	I	...	3	I	8
	5	2	...	4	2	I	3	I	18
ORDER 4.																							
1. Thrush.....	8	2	I	II
2. Worms, &c.....	1	I	I
2a. Hydatid.....	I
	9	2	I	I	13
Total Class I.....	205	151	76	43	41	89	26	30	22	33	27	14	10	5	2	5	10	4	3	9	I	806	
CLASS II.—ORDER 1.																							
1. Gout.....	I	2	...	I	4	I	3	I	2	6	3	5	I	
2. Dropsey.....	3	I	2	...	I	4	I	3	I	2	6	3	5	37	
3. Cancer.....	I	I	...	I	I	I	I	I	10	9	6	5	2	37	
3a. Tumour.....	I	I	I	I	I	...	I	10	
3b. Polypus.....	
4. Noma.....	...	I	I	2
5. Mortification.....	I
	3	I	I	...	2	2	I	2	5	3	2	3	6	II	II	I4	8	5	6	I	I	88	
ORDER 2.																							
1. Scrofula.....	2	...	I	...	I	I	I	7
2. Tabes Mesenterica.....	19	15	I	2	...	I	38
3. Phthisis.....	2	I	...	3	2	7	9	14	19	II	13	7	6	7	I	2	I	105
3a. Hæmoptysis.....
4. Hydrocephalus.....	7	5	12
	26	22	3	4	...	5	2	7	10	14	19	12	13	7	7	7	I	2	I	162
Total Class II.....	29	23	4	4	2	7	3	9	15	17	21	15	19	18	18	21	9	7	7	I	I	250	

CAUSES OF DEATH.		Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS III.—ORDER 1.																								41
1. Cephalitis.....	17	10	3	2	2	2	1	3	1	2	2	4	2	2	2	4	4	4	2	1	2	2	31	
2. Apoplexy.....	20	
3. Paralysis.....	11	
4. Insanity.....	2	
5. Chorea.....	1	19	
6. Epilepsy.....	1	15	
7. Convulsions.....	102	27	8	5	3	2	1	1	2	3	4	1	1	145	
8. Brain Disease, &c.	2	3	2	1	1	15
	120	37	13	7	5	6	1	11	5	7	7	11	9	4	5	9	12	8	3	4	284	
ORDER 2.																								6
1. Pericarditis.....	1	1	1	1	1	1	2	6
2. Aneurism.....	1	1	1	...	6
3. Heart Disease, &c.	2	...	1	3	5	5	2	7	8	5	6	9	7	9	6	5	2	7	89	
	2	...	1	3	6	6	3	8	9	6	7	10	10	9	6	5	2	7	1	101	101	
ORDER 3.																								2
1. Laryngitis.....	...	1	1	3	2	2	...	1	2	3	2	3	5	5	3	5	99
2. Bronchitis.....	37	16	7	3	...	3	2	2	...	1	2	3	2	3	5	5	3	5	6	
3. Pleurisy.....	2	...	1	1	...	1	...	1	...	6
4. Pneumonia.....	22	14	3	4	3	4	5	4	1	4	5	3	3	4	...	2	1	...	1	...	83	
4a. Congestion of the Lungs, pulmonary.	4	6	...	1	...	2	1	...	1	15	
5. Asthma.....	1	1	1	2	...	1	1	1	1	1	1	1	1	7	
6. Lung Disease, &c.	2	1	3	...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	14	
	65	38	11	4	...	13	5	5	7	6	1	5	10	8	7	9	8	9	5	9	1	...	226	
ORDER 4.																								22
1. Gastritis.....	3	4	2	1	1	1	3	2	1	...	1	1	1	1	2	1	1	1	...	18
2. Enteritis.....	28	6	5	3	2	6	1	1	2	3	4	3	2	3	2	2	2	4	2	1	1	1	...	78
3. Peritonitis.....	4
4. Ascites.....	5
5. Ulceration of Intestines.....	2	...	1	1	1	1	1	1	1	1	1	1	4
6. Hernia.....	1	...	1	1	1	1	1	1	1	1	1	1	1	5
7. Ileus.....	1	1	1	1	1	1	1	1	1	4
8. Intussusception.....	1	1	1
9. Stricture of Intestines.....
10. Fistula.....
11. Stomach Disease, &c.	2	1	...	2	1	1	1	7
12. Pancreas Disease, &c.
13. Hepatitis.....	1	1	3	1	1	1	1	1	1	1	2	1	2	...	13
14. Jaundice.....	...	2	1	1	2	3	3	3	3	2	3	1	1	1	1	1	1	1	1	3
15. Liver Disease, &c.	2	1	1	...	1	2	3	3	3	3	3	2	3	1	1	1	1	1	1	1	1	28
16. Spleen Disease, &c.
	38	10	10	4	2	8	2	3	8	7	11	11	13	10	5	12	8	11	7	3	183	
ORDER 5.																								1
1. Nephritis.....	...	1	2
2. Ischuria.....	18
3. Nephria.....	1	1	2
4. Diabetes.....
5. Stone.....	1
6. Cystitis.....
7. Kidney Disease, &c.	1	1
	...	2	1	1	1	1	5
ORDER 6.																								2
1. Ovarian Dropsy.....	2	...	2	1	2	3	II
2. Uterus Disease, &c.	2	...	2	2	2	2	4	13
ORDER 7.																								3
1. Arthritis.....
1a. Ostitis Periostitis, &c.	1	3
2. Joint Disease, &c.	1	3
	1	3
ORDER 8.																								2
1. Phlegmon.....
Ulcer.....	1	2
Skin Disease, &c.
	1	2
Total Class III	223	87	36	15	8	31	15	27	24	30	30	36	43	32	27	41	36	34	17	23	2	...	817	

CAUSES OF DEATH.	Under 1 year.																				Total.		
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	To 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.			
CLASS IV.—ORDER 1.—																							
1. Premature Birth	48	31	1	48		
2. Cyanosis	1	1		
3. Spina Bifida.....	1		
4. Other Malformations		
5. Teething	40	31	1	71		
	89	31	1	121		
ORDER 2.																							
1. Paramenia	1		
2. Childbirth (See Metria)	4	9	9	16	21	1	4	1	65		
	4	9	9	16	21	5	1	66		
ORDER 3.																							
1. Old Age	15	9	19	63	106		
ORDER 4.																							
1. Atrophy and Debility	121	16	137		
Total, Class IV.....	210	47	1	4	9	9	16	21	5	1	15	9	19	63	1	430
CLASS V.—ORDER 1.—																							
ACCIDENT OR NEGLIGENCE.																							
1. Fractures & Contusions	1	1	1	...	1	1	2	3	1	1	2	...	1	1	...	16	
2. Wounds { a. Gunshot	
b. Cuts	
3. Burns and Scalds	4	1	6	2	4	4	2	4	2	1	2	1	1	1	1	1	1	1	1	1	1	37	
3a. Sunstroke	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	8	
4. Poison	1	2	1	...	1	1	1	1	1	1	8	
4a. Bite of Snake or Insect	1	1	1	1	1	1	1	2	
5. Drowning	3	4	1	...	7	2	1	3	2	1	1	1	1	1	1	1	1	1	1	1	1	28	
6. Suffocation	2	1	1	1	1	1	1	2	
7. Otherwise	1	1	1	1	1	1	1	
	10	8	13	4	6	12	8	9	6	3	3	2	2	1	3	3	4	3	2	1	102		
ORDER 2.—																							
VIOLENT DEATHS IN BATTLE.																							
1. Gunshot Wounds		
2. Sword and Bayonet Wounds		
3. Otherwise		
ORDER 3.—HOMICIDE.																							
Murder and Manslaughter.	1	1	...	1	1	1	4	
ORDER 4.—SUICIDE.																							
1. Wounds { a. Gunshot	1	1	1	1	1	1	1	1	1	1	1	1	1	...	
b. Cut, Stab, &c.	1	1	1	1	1	1	1	1	1	1	1	1	1	2	
2. Poison	1	1	1	1	1	1	1	1	1	1	1	1	1	2	
3. Drowning	2	1	1	1	1	1	1	1	1	1	1	1	1	2	
4. Hanging	1	1	1	1	1	1	1	1	1	1	1	1	1	...	
5. Otherwise	1	1	1	1	1	1	1	1	1	1	1	1	1	...	
	2	3	1	1	1	1	1	1	1	1	1	1	1	1	6	
ORDER 5.—EXECUTION.																							
1. Hanging		
Violent Deaths (not classed)		
Total, Class V.....	11	8	13	4	6	12	9	9	8	7	4	2	2	1	3	4	4	3	2	1	112		
Sudden Deaths. (Cause unascertained).	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Causes not specified or ill-defined.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
	678	316	129	67	58	140	54	80	78	96	98	88	80	57	51	71	74	57	46	98	6	2422	

G 3.

DEATHS from all causes of BOTH SEXES, at different ages, registered in the COUNTRY DISTRICTS, from 1st January to 31st December, 1875.

G 3—*continued.*

CAUSES OF DEATH.	Under 1 year.																			Total.		
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.		
CLASS III.—ORDER 1.																						
1. Cephalitis.....	31	27	7	2	2	5	3	3	1	1	1	1	1	1	1	1	1	1	1	1	84	
2. Apoplexy.....	1	2	5	3	4	13	9	9	8	20	13	13	5	1	115	
3. Paralysis.....	2	1	1	4	2	9	7	7	9	9	11	12	1	89	
4. Insanity.....	2	1	4	2	6	6	4	5	3	3	3	2	...	47	
5. Chorea.....	1	1	2	
6. Epilepsy.....	7	1	4	7	5	7	5	3	2	1	49	
7. Convulsions.....	272	51	18	6	5	3	2	7	1	4	7	5	7	5	3	2	1	352	
8. Brain Disease, &c.	2	1	2	3	1	2	4	3	4	6	9	1	6	3	6	4	2	2	61	
	306	79	28	8	7	13	6	19	13	16	22	32	41	25	28	39	33	32	29	21	2	799
ORDER 2.																						
1. Pericarditis.....	1	1	1	...	1	2	1	2	9	
2. Aneurism.....	3	3	2	3	6	3	1	3	2	1	...	1	...	28	
3. Heart Disease, &c.	5	...	2	...	1	6	8	9	5	14	17	23	21	36	29	27	34	27	17	18	...	264
	5	...	2	...	1	6	8	9	5	14	17	23	21	36	29	27	34	18	18	1	301	
ORDER 3.																						
1. Laryngitis.....	1	1	2	...	1	1	6
2. Bronchitis.....	86	35	18	7	4	8	3	4	2	4	6	9	8	7	19	12	15	3	258	
3. Pleurisy.....	1	1	...	2	...	1	...	2	1	2	1	1	1	1	1	1	16	
4. Pneumonia.....	61	23	9	5	1	7	4	9	11	9	10	12	11	10	11	12	6	9	6	1	244	
4a. Congestion of the Lungs, pulmonary.	11	9	2	3	...	2	2	2	1	1	4	2	3	3	1	46	
5. Asthma.....	1	1	2	1	1	2	1	1	3	1	...	3	5	3	7	1	32		
6. Lung Disease, &c.	2	1	1	3	1	1	2	...	3	5	2	3	3	1	5	1	1	36		
	163	71	32	15	6	23	10	10	16	15	18	20	26	32	26	28	31	37	23	30	6	638
ORDER 4.																						
1. Gastritis.....	6	4	2	1	...	1	1	3	3	3	2	1	1	2	2	...	2	1	32	
2. Enteritis.....	45	15	9	5	3	11	3	3	6	5	6	4	2	3	1	4	7	4	3	1	148	
3. Peritonitis.....	...	1	1	3	2	4	3	4	3	...	3	1	28	
4. Ascites.....	1	9	
5. Ulceration of Intestines.....	1	1	...	3	2	1	1	2	1	1	15	
6. Hernia.....	2	1	1	...	1	1	2	2	3	2	1	1	23	
7. Ileus.....	4	1	1	1	3	1	1	1	1	1	1	1	3	1	1	1	1	
8. Intussusception.....	1	1	
9. Stricture of Intestines.....	1	
10. Fistula.....	1	
11. Stomach Disease, &c.	6	1	2	1	1	1	2	1	1	1	2	2	1	1	20	
12. Pancreas Disease, &c.	1	
13. Hepatitis.....	1	1	1	...	1	4	3	5	5	3	4	3	1	1	30	
14. Jaundice.....	9	2	1	2	...	2	5	10	7	7	7	6	7	3	3	3	1	1	19	
15. Liver Disease, &c.	4	1	...	1	4	2	...	2	5	10	7	7	7	9	7	3	4	1	1	1	86	
16. Spleen Disease, &c.	1	
	79	21	15	6	4	19	8	6	17	16	22	21	23	20	14	31	27	32	15	13	3	412
ORDER 5.																						
1. Nephritis.....	1	1	1	2	3	2	5	
2. Ischuria.....	1	1	3	2	3	1	6	
3. Nephria.....	...	1	1	1	11	
4. Diabetes.....	1	1	2	
5. Stone.....	1	1	1	1	1	1	3	
6. Cystitis.....	1	2	2	4	2	2	3	2	1	15	
7. Kidney Disease, &c.	1	1	...	2	1	3	5	2	6	7	1	1	29	
	2	3	1	2	1	1	4	...	4	3	7	16	8	8	10	1	71
ORDER 6.																						
1. Ovarian Dropsy.....	2	...	2	1	2	3	1	2	
2. Uterus Disease, &c.	2	...	2	2	2	4	1	11	
	2	...	2	2	2	4	1	13	
ORDER 7.																						
1. Arthritis.....	1	...	1	1	1	1	2	4	
1a. Ostitis Periostitis, &c.	2	...	1	...	1	...	1	...	1	2	1	1	1	1	1	8	
2. Joint Disease, &c.	2	...	1	...	2	...	1	1	1	4	1	1	1	1	1	12	
	2	...	1	...	2	...	1	1	1	4	1	1	1	1	1	1	
ORDER 8.																						
1. Phlegmon.....	1	...	1	1	3	
2. Ulcer.....	1	...	1	1	1	
3. Skin Disease, &c.	1	1	...	1	1	4	
	556	174	77	29	18	63	33	48	54	64	84	102	116	117	100	136	143	138	93	92	13	2250

CAUSES OF DEATH.	Under 1 year										1 to 2 years										2 to 3 years										3 to 4 years										4 to 5 years										5 to 10 years										10 to 15 years										15 to 20 years										20 to 25 years										25 to 30 years										30 to 35 years										35 to 40 years										40 to 45 years										45 to 50 years										50 to 55 years										55 to 60 years										60 to 65 years										65 to 70 years										70 to 75 years										75 years and upwards.										Ages not specified										Total.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
	1		2		3		4		5		6		7		8		9		10		11		12		13		14		15		16		17		18		19		20		21		22		23		24		25		26		27		28		29		30		31		32		33		34		35		36		37		38		39		40		41		42		43		44		45		46		47		48		49		50		51		52		53		54		55		56		57		58		59		60		61		62		63		64		65		66		67		68		69		70		71		72		73		74		75		76		77		78		79		80		81		82		83		84		85		86		87		88		89		90		91		92		93		94		95		96		97		98		99		100		101		102		103		104		105		106		107		108		109		110		111		112		113		114		115		116		117		118		119		120		121		122		123		124		125		126		127		128		129		130		131		132		133		134		135		136		137		138		139		140		141		142		143		144		145		146		147		148		149		150		151		152		153		154		155		156		157		158		159		160		161		162		163		164		165		166		167		168		169		170		171		172		173		174		175		176		177		178		179		180		181		182		183		184		185		186		187		188		189		190		191		192		193		194		195		196		197		198		199		200		201		202		203		204		205		206		207		208		209		210		211		212		213		214		215		216		217		218		219		220		221		222		223		224		225		226		227		228		229		230		231		232		233		234		235		236		237		238		239		240		241		242		243		244		245		246		247		248		249		250		251		252		253		254		255		256		257		258		259		260		261		262		263		264		265		266		267		268		269		270		271		272		273		274		275		276		277		278		279		280		281		282		283		284		285		286		287		288		289		290		291		292		293		294		295		296		297		298		299		300		301		302		303		304		305		306		307		308		309		310		311		312		313		314		315		316		317		318		319		320		321		322		323		324		325		326		327		328		329		330		331		332		333		334		335		336		337		338		339		340		341		342		343		344		345		346		347		348		349		350		351		352		353		354		355		356		357		358		359		360		361		362		363		364		365		366		367		368		369		370		371		372		373		374		375		376		377		378		379		380		381		382		383		384		385		386		387		388		389		390		391		392		393		394		395		396		397		398		399		400		401		402		403		404		405		406		407		408		409		410		411		412		413		414		415		416		417		418		419		420		421		422		423		424		425		426		427		428		429		430		431		432		433		434		435		436		437		438		439		440		441		442		443		444		445		446		447		448		449		450		451		452		453		454		455		456		457		458		459		460		461</

H.

SUMMARY of DEATHS of BOTH SEXES registered in the Colony of New South Wales, during each Month of the Year 1875, classified under the heads of the several Causes of Death.

CAUSES OF DEATH.	January.		February.		March.		April.		May.		June.		July.		August.		September.		October.		November.		December.		Total.			
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Grand Total.			
I.—Zymotic Diseases.																												
1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.)	204	188	193	166	150	167	187	185	136	132	94	93	77	63	81	46	74	66	59	66	109	105	147	133	1511	1410	2921	27.12
2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.)	...	2	1	3	...	1	...	1	...	1	2	2	1	1	...	5	...	3	1	2	...	18	7	25	.23
3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.)	8	3	9	8	8	4	13	7	9	7	11	4	15	2	8	3	9	3	12	3	13	5	128	51	179	1.66		
4. Parasitic Diseases—(Thrush, Worms, &c.)	1	3	1	3	...	2	2	6	2	1	...	5	...	1	2	2	...	1	2	...	6	2	22	21	43	.39		
Total	213	196	203	177	158	174	205	198	148	140	107	97	97	67	92	52	86	69	77	71	125	108	168	140	1679	1489		
II.—Constitutional Diseases.																												
1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.)	12	17	12	9	16	9	14	9	15	8	8	15	14	14	25	15	21	14	24	14	20	7	24	13	205	144	349	3.24
2. Tubercular Diseases—(Serofula, Phthisis, Hydrocephalus, &c.)	49	32	55	35	41	37	34	33	43	36	50	18	34	37	33	28	50	30	37	24	47	29	31	42	504	381	885	8.22
Total	61	49	67	44	57	46	48	42	58	44	58	33	48	51	58	43	71	44	61	38	67	36	55	55	709	525		
III.—Local Diseases.																												
1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis, &c.)	87	60	77	42	84	46	73	41	59	44	65	45	69	36	69	39	49	30	43	42	53	53	54	47	782	525	1307	12.13
2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease)	32	20	19	14	20	3	25	17	19	17	38	15	25	11	28	18	26	25	25	14	23	15	26	21	306	190	496	4.61
3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.)	54	40	35	32	43	24	47	39	39	52	64	48	77	39	75	55	64	37	53	32	57	17	47	21	655	436	1091	10.13
4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.)	43	34	41	35	37	28	44	28	34	26	22	20	24	25	26	25	28	25	26	22	29	30	27	36	381	334	715	6.64
5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.)	11	5	14	3	9	2	8	2	8	2	12	...	10	5	20	7	12	1	15	1	7	3	10	7	136	38	174	1.62
6. Diseases of the Organs of Generation—(Ovarian Dropsy, Uterus Disease, &c.)	...	2	...	1	...	2	1	...	2	...	1	3	...	1	...	4	...	6	...	23	23	.21		
7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.)	...	1	2	...	1	...	1	2	1	...	1	2	1	...	1	...	2	2	11	8	19	.18				
8. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease, &c.)	1	1	1	1	...	1	1	1	1	...	2	...	1	...	4	7	11	.10			
Total	228	163	189	128	194	106	199	129	159	142	202	130	206	119	220	145	179	123	162	114	170	122	167	140	2275	1561		
IV.—Developmental Diseases.																												
1. Diseases of Children—(Cyanosis, Teething, &c.)	31	25	38	35	27	19	35	29	20	23	24	12	19	9	11	9	15	10	17	10	23	21	25	17	285	219	504	4.68
2. Diseases of Adults—(Paramenia, Childbirths, &c.)	...	13	...	9	...	5	...	9	...	8	...	10	...	9	...	10	...	6	...	10	...	9	...	106	106	.98		
3. Diseases of Old People—Old Age, &c.)	16	11	27	8	27	5	20	19	36	9	50	21	31	22	38	16	39	13	24	13	20	14	21	15	368	166	534	4.96
4. Diseases of Nutrition—(Atrophy, Debility)	41	37	34	27	27	26	25	35	24	20	21	25	24	16	15	12	19	17	25	24	26	25	31	304	296	600	5.57	
Total	88	86	99	79	81	55	80	92	80	60	95	66	74	57	64	46	73	50	66	53	76	71	81	72	957	787		
V.—Violence.																												
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.)	63	18	48	17	55	9	33	10	39	6	42	7	33	9	34	11	42	10	41	11	38	16	47	9	515	133	648	6.02
2. Violent Deaths—(Not Classed)	1	2	1	1	2	1	...	6	2	8	.07	
3. Homicide—(Murder and Manslaughter)	...	1	2	1	2	...	3	1	...	2	...	1	...	1	...	1	...	1	...	1	...	10	6	16	.15	
4. Suicide—(Poison, Drowning, Hanging, &c.)	3	1	3	3	3	2	5	1	1	6	1	4	...	1	1	6	1	6	2	2	43	9	52	.48				
5. Execution—(Hanging)	1	1	...	2	...	2	.02	
Total	67	20	51	19	60	9	36	13	46	7	47	8	39	10	41	11	45	13	48	12	45	19	51	9	576	150		
Unspecified	5	2	1	...	7	...	2	1	5	...	4	1	3	1	4	1	5	1	5	...	3	3	5	4	49	14	63	.59
Totals from all Causes	662	516	610	447	557	390	570	475	496	393	513	335	467	305	479	298	459	300	419	288	486	359	527	420	6245	4526	10771	100.00

TABLE showing the DEATHS which have occurred from the causes stated, in each of the several WARDS of the CITY OF SYDNEY, from 1st January to 31st December, 1875, distinguishing those under 5 years of age.

CAUSES OF DEATH.	Gipps.			Bourke.			Brisbane.			Macquarie			Cook.			Fitzroy.			Phillip.			Denison.			Total Deaths from each cause in Sydney.														
	Under.	Over.	Total	Under.	Over.	Total	Under.	Over.	Total	Under.	Over.	Total	Under.	Over.	Total	Under.	Over.	Total	Under.	Over.	Total	Under.	Over.	Total	1875.	1874.	1873.	1872.	1871.	1870.	1869.	1868.	1867.	1866.					
CLASS I.—ORDER 1.																																							
1. Measles	9	I	10	4	...	4	16	...	16	12	...	12	32	4	36	16	3	19	36	9	45	19	I	20	162	62	...	I	2	I	462	...					
2. Scarlatina	10	3	13	5	...	5	2	2	4	5	I	6	25	12	37	10	5	15	13	3	16	6	3	9	105	37	5	54	2	3	19	57	27	12					
3. Diphtheria	4	I	5	I	I	2	2	...	2	3	I	4	12	I	13	3	...	3	6	I	7	30	12	16	7	7	11	14	34	36	18						
4. Quinsy	I	I	2	...	I	I	4	5	2	...	I	3	2	2					
5. Croup	3	I	4	I	...	I	3	...	3	2	I	3	3	5	8	I	I	2	4	...	4	2	...	2	27	16	18	18	5	8	26	31	28	40					
6. Whooping-cough	21	12	14	63	5	46	30	34	12	...					
7. Typhus (and Infantile Fever)	I	7	8	I	18	19	...	4	4	I	I	2	6	12	18	2	8	10	I	4	5	3	6	9	75	39	61	36	16	50	72	73	71	73	...				
8. Erysipelas	2	2	4	...	9	9	2	2	I	2	3	I	2	3	...	I	I	...	4	4	...	26	18	4	3	3	2	5	2	2	3	...					
9. Metria (see Childbirth)	4	4	I	I	...	2	2	...	2	2	...	5	5	...	2	2	...	2	2	...	2	2	18	23	9	16	8	7	8	12	14	9					
10. Carbuncle	2	I	...				
11. Influenza	I	I	I	I	3	...	3	I	I	6	2	I	3	3	2	6	4	3	I	14	...				
12. Dysentery	I	3	4	...	8	8	I	I	2	2	3	3	3	6	I	4	5	...	I	I	...	2	2	29	15	13	23	25	27	21	27	52	35	...					
13. Diarrhoea	18	2	20	5	25	30	I	7	3	20	9	I	10	42	3	45	22	5	27	18	3	21	32	3	35	208	159	108	147	101	108	73	95	150	154	...			
14. Cholera	3	...	3	I	I	2	2	...	2	I	I	2	I	3	I	3	4	2	I	3	2	...	2	20	17	13	12	7	7	6	7	7	6	...					
15. Ague	5	5	I	I	6	...	I				
16. Remittent Fever	2	I	3	...	I	I	2	...	2	...	2	...	2	...	2	...	2	...	2	6	3	3	I	2	...	2	I	7	6	...				
17. Rheumatism	I	I	...	2	2	I	I	...	2	2	6	6	I	I	...	I	I	14	9	9	6	10	6	6	6	3	3	10	...						
18. Pyæmia	I	I	...	I	I	3	3	I	I	6	2	2	3	3	3	3	3	3	3	...					
	54	29	83	18	71	89	43	13	56	32	14	46	131	52	183	57	41	98	74	26	100	70	23	93	748	440	279	345	256	237	307	383	906	395	...				
ORDER 2.																																							
1. Syphilis	I	3	4	I	...	I	I	...	I	I	...	I	I	...	I	I	...	I	I	...	I	9	6	I	13	10	4	4	5	7	5	7	6					
2. Stricture of the Urethra	2	2	I	I	3	3	I	5	1	I	5	5	...	6	12	5	I	13	...		
	I	5	6	I	...	I	I	...	I	I	...	I	I	...	2	2	I	...	I	I	12	9	I	14	I	5	5	6	12	5	I	13	...		
ORDER 3.																																							
1. Privation	I	4	3	2	4	I	8	4	6	...				
2. Want of Breast Milk..	I	...	I	4	...	4	I	...	I	3	...	3	8	...	8	7	...	7	3	...	3	2	...	2	29	22	30	31	I	2	2	I	3	1	2				
3. Pupura and Scurvy	2	2	2	4	I	2	2	2	I	2	2	I	3	1	2			
4. Alcoholism :—	2	2	...	8	8	3	3	...	2	2	...	I	I	I	I	17	7	6	4	I	6	8	5	3	3	3	2	I	12	...			
a Del. Tremens	2	2	...	8	8	3	3	...	2	2	...	I	I	...	I	I	I	17	7	6	4	I	6	8	5	3	3	3	2	I	12	...			
b Intemperance	7	7	4	4	...	I	I	...	I	I	...	I	I	...	3	3	4	4	20	8	16	5	5	5	I	12	3	2	I	12	...				
	I	2	3	4	I	7	21	I	4	5	3	4	7	8	3	11	7	4	11	3	...	3	2	5	7	68	42	57	45	22	24	30	27	I	17	37	...		
ORDER 4.																																							
1. Thrush	I	...	I	...	I	2	...	2	I	...	I	2	...	2	I	...	I	7	4	6	5	6	7	I	2	2	4	I	1	1		
2. Worms, &c.	

Total, Class I	55	31	86	23	93	116	45	17	62	37	18	55	143	55	198	65	47	112	79	26	105	75	28	103	837	498	358	411	290	273	346	425	935	457	...				
CLASS II.—ORDER I.																																							
1. Gout	I	I	...	I	I	3	I	2	4	I	3	4	I	1	I	2	...			
2. Dropsy	2	2	...	3																																			

I—continued.

CAUSES OF DEATH.	Gipps.			Bourke.			Brisbane.			Macquarie.			Cook.			Fitzroy.			Phillip.			Denison.			Total Deaths from each cause in Sydney.									
	Under.	Over.	Total.	Under.	Over.	Total.	Under.	Over.	Total.	Under.	Over.	Total.	Under.	Over.	Total.	Under.	Over.	Total.	Under.	Over.	Total.	1875.	1874.	1873.	1872.	1871.	1870.	1869.	1868.	1867.	1866.			
CLASS III—ORDER 1— continued.																																		
1. Chorea																																		
2. Epilepsy.....	...	I	I	...	3	3	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
3. Convulsions	I3	13	7	7	II	I	12	7	7	23	I	24	II	15	3	18	I4	106	116	105	127	93	87	83	91	105	73	24	26	27				
4. Brain Disease, &c.	5	5	14	14	5	5	3	3	I	3	4	4	4	3	3	3	3	41	51	45	35	36	21	27	24	26	27	23	227	I94				
	20	10	30	7	48	55	13	19	32	11	14	25	38	22	60	23	20	43	20	16	36	23	6	29	310	322	313	297	236	210	217	233	227	
ORDER 2.																																		
1. Pericarditis		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I				
2. Aneurism		2	2	25	25	9	9	8	8	I	15	16	...	22	22	II	II	I	13	14	107	91	87	92	93	89	84	71	64	69				
3. Heart Disease, &c.	3	3	32	32	9	9	9	9	I	17	18	I	22	23	II	II	I	14	15	120	104	94	101	106	106	104	84	78	76					
	18	10	28	9	46	55	10	16	26	10	8	18	26	23	49	13	18	31	12	10	22	26	13	39	268	233	184	184	209	168	169	154	174	146
ORDER 3.																																		
1. Laryngitis	I	I	2	I	I	2	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I				
2. Bronchitis	7	4	II	I	21	22	5	3	8	6	3	9	I3	4	I7	6	6	I2	6	3	9	I3	5	18	106	104	80	84	109	71	69	59	95	77
3. Pleurisy		I	...	I	I	4	5	...	3	3	I	2	3	...	3	3	I5	9	4	I	4	6	I1	16	7	5								
4. Pneumonia	9	4	I3	5	18	23	4	6	10	4	I	5	I3	II	24	5	6	I1	4	4	8	9	3	12	106	94	73	80	83	64	60	55	44	33
4a. Congestion of the Lungs, pulmonary.	I	...	I	I	I	2		
5. Asthma	I	I	...	2	2	3	3	...	2	2	...	I	I	2	2	II	II	9	6	I	3	3	6	5	8					
6. Lung Disease, &c.			3	3	2	2	I	I	...	I	I	...	2	2	I	...	I	I	...	I	II	8	15	10	10	21	25	17	17	I9				
	18	10	28	9	46	55	10	16	26	10	8	18	26	23	49	13	18	31	12	10	22	26	13	39	268	233	184	184	209	168	169	154	174	146
ORDER 4.																																		
1. Gastritis.....	10	I	II	2	I	3	3	...	3	I	I	2	4	I	5	I	...	I	I	2	3	7	...	7	35	14	5	6	10	18	I3	4	I3	5
2. Enteritis.....	3	3	6	2	2	4	I	2	3	2	I	3	7	5	I2	4	2	6	I	...	I	2	I	3	38	36	42	35	36	27	25	25	21	
3. Peritonitis	I	I	...	7	7	4	4	I	3	4	I	2	3	...	I	I	20	I3	5	I4	6	7	I6	9	7	8			
4. Ascites	I	I	...	I	I	I	I	I	I	4	4	4	4	4	4	4	4	4	2	2			
5. Ulceration of Intestines	I	I	...	I	I	I	I	3	2	4	4	8	3	4	2				
6. Hernia			3	3	3	3	I	2	...	I	2	...	2	2					
7. Ileus	I	I	I	2	3	I	I	...	2	2	I	I	8	2	2	8	3	9	3	I	5	5				
8. Intussusception.....			I	I	I	2	3	I	I	...	2	2	3	2	4	5	2	I	...	3	...	I	...				
9. Stricture of Intestines	I	I	I	I	2	2	I	...	I	...	I	2	...	I	...				
11. Stomach Disease, &c.			3	3	I	I	2	2	...	I	I	7	7	I9	15	14	6	I1	3	I0	9			
13. Hepatitis	3	3	4	4	4	4	4	4	5	...	I	I	...	4	4	4	4	I	I	...	I	I	23	5	9	15	8	9	I0	12	6	8		
14. Jaundice.....			I	I	...	I	I	...	2	...	2	2	...	I	I	...	I	I	...	I	I	5	5	5	8	5	I2	I	...	2	I			
15. Liver Disease, &c.	I	2	3	...	19	19	3	3	I	I	...	II	II	I	5	6	5	5	5	3	3	51	41	38	26	36	28	36	22	38	31			
16. Spleen Disease, &c.																								I		
	14	14	28	7	44	51	4	10	14	4	8	12	12	25	37	9	18	27	4	II	15	9	9	18	202	137	142	141	126	118	120	85	115	94
ORDER 5.																																		
1. Nephritis	2	2	I	3	4	I	I	I	I	2	...	I	I	10	7	4	I	4	...	2	...	3	...	3		
2. Ischuria																								2	...	I	...	2	2	I	...			
3. Nephritis	I	2	3	...	15	15	I	I	6	6	2	2	4	...	3	3	32	37	22	I0	20	4	I0	8	2	2			
4. Diabetes															I	I	4	2	...	I	3	3	2	I	...	I	...		
5. Stone															I	I	3	2	2	I	1	...	I	...					
6. Cystitis															I	I	...	I	I	8	3	4	3	3	2	2	4	2	2			
7. Kidney Disease, &c.															I	I	...	I	I	...	I	12	18	10	I5	9	8	9	6	6	8			
	I	4	5	I	25	26	I	I	2	...	5	5	3	6	9	...	I2	I2	2	4	6	...	4	4	69	71	42	32	41	18	27	21	I4	I4

I—continued.

CAUSES OF DEATH.	Gipps.		Bourke.		Brisbane.		Macquarie		Cook.		Fitzroy.		Phillip.		Denison.		Total Deaths from each cause in Sydney.																			
	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	1875.	1874.	1873.	1872.	1871.	1870.	1869.	1868.	1867.	1866.										
	Total.	Total.	Total.	Total.	Total.	Total.	Total.	Total.	Total.	Total.	Total.	Total.	Total.	Total.	Total.	Total.	Total.	Total.	Total.	Total.	Total.	Total.	Total.	Total.	Total.	Total.	Total.	Total.								
CLASS IV—ORDER 1.																																				
1. Premature Birth.....	9	...	9	6	...	6	5	...	5	7	...	7	15	...	15	6	...	6	12	...	12	7	...	7	67	28	37	37	40	32	32	33	23	23		
2. Cyanosis	2	...	2	1	...	1	1	...	1	1	...	1	10	...	10	8	...	8	9	...	9	5	...	5	41	49	32	53	47	37	52	39	56	51		
3. Spina Bifida.....				
4. Other Malformations	1	...	1	1	...	1	2	...	2	1	...	1	5	6	7	3	9	10	7	3	3	9			
5. Teething	2	...	2	2	...	2	2	...	2	3	...	3	10	...	10	8	...	8	9	...	9	5	...	5	41	49	32	53	47	37	52	39	56	51		
	14	...	14	9	...	9	7	...	7	11	...	11	25	...	25	16	...	16	22	...	22	13	...	13	117	87	77	97	101	83	91	79	83	84		
ORDER 2.																																				
1. Paramenia	1	...	1	3	I	I	...			
2. Childbirth (see Metria)	3	3	...	1	I	...	2	2	...	6	6	...	5	5	...	4	4	...	6	6	...	3	3	30	4	3	...	3	4	...	I	3				
	...	3	3	...	1	I	...	2	2	...	6	6	...	5	5	...	5	5	...	6	6	...	3	3	31	4	3	...	3	4	I	2	3			
ORDER 3.																																				
1. Old Age	7	7	...	14	14	...	5	5	...	4	4	...	10	10	...	11	11	...	5	5	...	5	5	61	51	60	50	41	52	35	46	33	33			
ORDER 4.																																				
1. Atrophy and Debility..	7	...	7	5	...	5	13	...	13	12	...	12	33	...	33	39	...	39	29	...	29	24	...	24	162	142	108	101	89	119	120	122	123	126		
Total, Class IV	21	10	31	14	15	29	20	7	27	23	10	33	58	15	73	55	16	71	51	11	62	37	8	45	371	284	248	248	234	258	249	248	241	246		
CLASS V.—ORDER 1.—																																				
ACCIDENT OR NEGLIGENCE.																																				
1. Fractures & Contusions	1	31	32	2	I	3	...	I	I	...	I	I	...	I	I	...	I	I	...	I	I	40	35	32	36	25	20	16	30	23	32			
2. Wounds { a Gunshot	2	2	6	4	5	3	2	3	2	...	6	6		
3. Burns and Scalds	2	5	7	I	...	I	I	I	2	10	9	19	8	8	I	I	9	...	9		
3a. Sunstroke	I	I	I	I	I	I	I	I	3	4	2	...	I	I	3	2	...	2	
4. Poison	I	I	I	I	I	I	I	I	I	4	1	I	3	...	I	I	2	...	2		
4a. Bite of Snake or Insect	I	I	I	I	I	I	I		
5. Drowning	4	4	4	4	4	4	4	4	4	4	4	4	I	I	I	I	10	16	21	13	21	16	14	18	22	22			
6. Suffocation	2	...	2	I	2	3	I	I	I	I	I	I	7	2	4	...	3	10	5	2	2	4	
7. Otherwise.....	4	
	2	...	2	3	45	48	3	8	11	I	2	3	...	2	2	2	3	5	2	3	5	I	2	3	79	74	86	63	59	65	47	63	69	77		
ORDER 2.—VIOLENT DEATHS IN BATTLE.																																				
1. Gunshot Wounds		
2. Sword and Bayonet Wounds		
3. Otherwise.....		
ORDER 3.—HOMICIDE.																																				
Murder and Manslaughter	I	...	I	...	3	3	...	I	I	5	I2	6	6	9	2	6	I	I	3		
ORDER 4.—SUICIDE.																																				
1. Wounds { Gunshot	I	...	2	...	2	2	...	I	I	...		
2. Wounds { Cut, Stab, &c.	4	4	4	4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	5	4	4	3	3	4	2	4	I	3			
3. Poison	I	I	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	4	2	I	I	2	3	2	3	2	3			
4. Drowning	I	I	I	I	I	I	I	3	3	I	2	2	2	I	3	2	3		
5. Hanging	I	I	8	8	8	3	3	3	3	3	I	I	I	I	I	I	I	I	I5	I0	6	8	5	8	10	4	3	6		
ORDER 5.—EXECUTION.																																				
I. Hanging	I	...	4	3	I	3	3			
Violent Deaths not classed (found drowned, &c.)	5	5	5	1	1	1	1	1	1	1	4	4	4	1	6	7			
Total, Class V.....	3	I	4	3	61	64	313	16	I	3	4	...	2	2	2	6	8	2	4	6	I	3	4	108	96	102	80	73	75	63	69	76	89			
Sudden Deaths (cause unascertained).....			
Causes not specified or ill-defined	I	I	2	...	I	I	3	3	4	4	1	6	7	2	2	19	15	18	20	18	18	25	60	54	56
Grand Total.....	I42	111	253	65	455	520	103	10																												

J.

BIRTHS and DEATHS occurring at Sea, registered in the Colony of New South Wales, from 1st January, to 31st December, 1875.

	Births.			Deaths.		
	Males.	Females.	Total.	Males.		Total.
Sydney ...	1	7	8	37	2	39

K.

RETURN OF REGISTRATION DISTRICTS, with the Names of the Persons holding the office of District Registrar.

District.	Name of Registrar.	Date of Appointment.	District.	Name of Registrar.	Date of Appointment.
1. Sydney	The Registrar General,	15 Dec., 1870	46. Maitland	Cornelius Delohery, C.P.S....	1 April, 1876
2. Balmain	William Parker, chemist....	4 July, 1861	47. Manning River....	Jasper A. Creagh, C.P.S.	1 Feb., 1875
3. Concord	John Watts, schoolmaster ..	3 Sept., 1860	48. Menindie	Rudolph Roxburgh Morisset	9 Feb., 1875
4. Glebe	William Richard Cobbin ..	16 Nov., 1875	49. Moama	Albert Davies, Telegraph- master.	1 Aug., 1874
5. Newtown	Charles Alfred Newman ..	9 April, 1857	50. Molong	John H. Nisbett, C.P.S.	1 Nov., 1875
6. Paddington	Henry Gale	1 July, 1863	51. Morpeth	John Keating	16 Sept., 1872
Randwick	James Edwin Graham, Assistant D.R.	1 Jan., 1876	52. Moulamein	Thomas Linton	13 July, 1860
7. Redfern	Christopher Warburton ..	30 Oct., 1865	53. Mudgee	George Leary, C.P.S.	1 Jan., 1871
8. Waterloo	Thomas Armitage Salmon ..	1 April, 1874	Gulgong	Lester S. Donaldson, C.P.S., Assistant D.R.	2 Oct., 1871
9. St. George	Theophilus Henry Bolger ..	13 Oct., 1866	54. Murrurundi	Geo. Gray Brodie, C.P.S.	2 Aug., 1869
10. St. Leonards.....	Robert Dalzell Ward, surgeon	28 Feb., 1856	55. Muswellbrook	Timothy Foley, C.P.S.	1 Dec., 1867
11. Albury	James Chas. W. Crommelin	8 July, 1872	56. Narrabri	C. E. Smith, P.M.	16 May, 1859
12. Armidale	E. Marriott	1 Mar., 1876	57. Newcastle	John Burrowes, T.C.	28 Feb., 1856
13. Balranald	Richard B. Mitchell, C.P.S..	7 Feb., 1867	Lambton	William F. Dent, Assistant D.R.	13 Aug., 1874
14. Bathurst	James Beuzeville	8 April, 1874	Wallsend	Thomas Alnwick, Assistant D.R.	1 Jan., 1875
15. Bega	John Davis, C.P.S.	1 Jan., 1871	58. Nundle	Samuel Kermode	2 Mar., 1874
16. Berrima	Fredk. Robertson Wilshire, P.M. & C.P.S.	1 May, 1872	59. Orange	William T. Evans, C.P.S.	20 Feb., 1856
17. Bombala	James Giles, C.P.S.	24 Jan., 1871	60. Parramatta	George Langley, C.P.S.	2 Aug., 1869
18. Bourke	Louis Fredk. Layard, C.P.S.	26 Oct., 1874	61. Paterson	Benjamin Newbury, surgeon	22 Mar., 1858
19. Braidwood	W. F. Robertson, C.P.S.	1 Sept., 1875	62. Patrick's Plains..	Fredk. J. Robinson	23 June, 1875
20. Brisbane Water	Thomas Cade Battley, C.P.S.	9 July, 1856	63. Penrith	John K. Cleeve, junr., C.P.S.	2 Aug., 1869
21. Broulee.....	Alex. Lumsdaine, C.P.S.	1 Mar., 1875	64. Picton	Wm. Redfern Antill	30 Mar., 1857
22. Burrowa	William J. E. Wotton, C.P.S.	2 Aug., 1869	65. Port Macquarie..	Robert Issell Perrott, C.P.S.	1 Oct., 1873
Grenfell	William Fox Parker, C.P.S., Assistant D.R.	17 Feb., 1870	66. Port Stephens ..	Thomas Lamam, C.P.S.	2 Aug., 1869
23. Camden	John B. Martin, C.P.S.	14 Aug., 1856	67. Queanbeyan	Fredk. B. Russell, P.M.	1 July, 1869
24. Campbelltown ..	Henry Arkell Smith, C.P.S..	22 April, 1872	68. Raymond Terrace	William Gloag	28 Feb., 1856
25. Carcoar	Edwd. Jas. C. North, C.P.S.	1 May, 1865	69. Richmond	John Ducker	5 Feb., 1862
26. Cassilis	John Morris, C.P.S.	26 Mar., 1856	70. Richmond River.	Malcom M'Intyre Campbell, C.P.S.	26 April, 1875
27. Clarence Town..	David Farquhar	30 Mar., 1857	71. Ryde	Geo. M. Pope, C.P.S.	30 Mar., 1857
28. Cooma	Geo. H. Smithers, C.P.S.	12 Sept., 1875	72. Rylstone	W. W. Armstrong, C.P.S.	5 Mar., 1857
29. Coonabarabran..	Fredk. Wm. Edwards, C.P.S.	25 Nov., 1863	73. Scorne	James T. Wilshire, C.P.S.	1 May, 1872
30. Cowra	John Arkins, C.P.S.	14 Nov., 1870	74. Shoalhaven	William Lovegrove, C.P.S.	2 Aug., 1869
31. Deniliquin	William Henry Hooper ..	1 June, 1874	75. Sofala	Charles G. Smith	1 June, 1871
32. Dubbo	Luke M'Guinn, C.P.S.	1 Aug., 1863	76. Tambaroora	James Sydney Willard, post- master.	28 June, 1872
33. Dungog	Chas. G. Smith, C.P.S.	17 Sept., 1875	Hill End	F. C. M'Arthur, C.P.S., Assistant D.R.	1 May, 1875
34. Eden	Christopher D. Hays, C.P.S.	3 Aug., 1865	77. Tamworth	John M'Donald	9 May, 1859
35. Forbes	Stephen Freeman, C.P.S.	1 Sept., 1873	Gunnedah	Thomas K. Abbott, C.P.S., Assistant D.R.	1 Jan., 1873
Parkes	Alexr. Boswell Armstrong, C.P.S., Assistant D.R.	13 July, 1874	78. Tenterfield	John Simons, C.P.S.	1 Sept., 1875
36. Goulburn	Chas. Somerville Alexander, C.P.S.	31 Mar., 1862	79. Tweed River	Joshua Bray	28 Sept., 1875
37. Grafton.....	Wm. Henry Thomas, C.P.S.	1 April, 1874	80. Tumut	Henry Hilton	15 Jan., 1870
Maclean.....	Samuel Macnaughton, post- master, Assistant D.R.	1 June, 1872	81. Ulladulla	John V. Wareham, C.P.S.	2 Aug., 1869
38. Gundagai	Archibald Scott Smith	1 Feb., 1872	82. Wagga Wagga...	Edwin H. Tompson, C.P.S.	2 Aug., 1869
Adelong.....	William J. Shelley, Assistant D.R.	1 Aug., 1872	83. Walgett	F. B. Hales, P.M.	1 Dec., 1875
39. Hartley.....	William Patk. Macdermott, auctioneer.	25 July, 1869	84. Warialda	Richard H. Fitzsimons, C.P.S.	22 Nov., 1867
40. Hay	Joseph Ede Pearce, P.M.	1 June, 1874	85. Wellingrove....	George Martin, C.P.S.	20 Oct., 1871
41. Inverell.....	Wm. Clare Cardew, C.P.S.	1 April, 1875	Vegetable Creek.	George Henry Gower	1 May, 1875
42. Kiama	Henry Connell, junr., C.P.S.	5 June, 1863	86. Wellington	Frederick Marsh, C.P.S.	28 April, 1862
43. Liverpool	William Long, schoolmaster	8 June, 1866	87. Wentworth	Wm. Lyle Richardson, P.M.	1 April, 1872
44. Macdonald River	Thomas Harris	4 Jan., 1876	88. Windsor	Wm. Hy. H. Becke, C.P.S.	1 April, 1874
45. Macleay River...	William Henry Thornton, J.P.	29 June, 1857	89. Wollombi	Thomas S. Townshend	31 Mar., 1862
Bellinger River...	Arthur M. Fisher, Assistant D.R.	1 Nov., 1875	90. Wollongong	Alfred A. Turner, C.P.S.	2 Aug., 1869
Nambucca River..	John S. Robinson, school- master, Assistant D.R.	13 Mar., 1876	91. Yass	Leopold Yates, C.P.S.	17 June, 1870
			92. Young	J. R. Edwards, C.P.S.	2 Aug., 1869